

# Floor marking tapes

Self-adhesive marking tapes for labelling and orientation

---



# Strong floor marking tapes

## Drive-over Floor marking tape

WT-6000 // Keeps its promises

- Extremely wear-resistant
- High resistance under permanent load
- Dirt-resistant surface
- Only suitable for smooth indoor floors

**Material:** steel

**Material thickness:** 0,6 mm

**Surface:** glossy

**Slip class:** /

**Adhesive:** permanent acrylic adhesive

**Application area:** indoor



yellow	width 75 mm
length 1,5 m	5611.04.075
length 6 m	5611.04.075-6

## Resistant floor marking tape

WT-500 // The tape with the flattened edges

- Flattened edges prevent damage to the tape
- High resistance under permanent load
- Dirt-resistant surface
- Only suitable for smooth indoor floors

**Material:** PVC

**Material thickness:** 1,1 mm

**Surface:** matt

**Slip class:** /

**Adhesive:** permanent acrylic adhesive

**Application area:** indoor




yellow	width 50 mm	width 75 mm
length 10 m	6125.04.050-10	6125.04.075-10
length 25 m	6125.04.050	6125.04.075




red	width 50 mm	width 75 mm
length 10 m	6125.01.050-10	6125.01.075-10
length 25 m	6125.01.050	6125.01.075



green	width 50 mm	width 75 mm
length 10 m	6125.02.050-10	6125.02.075-10
length 25 m	6125.02.050	6125.02.075



blue	width 50 mm	width 75 mm
length 10 m	6125.10.050-10	6125.10.075-10
length 25 m	6125.10.050	6125.10.075



black	width 50 mm	width 75 mm
length 10 m	6125.07.050-10	6125.07.075-10
length 25 m	6125.07.050	6125.07.075

## Safety signs for the floor

Ensure more safety in your company



# Heavy-duty floor marking tapes

## Durable marking tape with slip resistance

WT-5845 // The tape for difficult floors

- Retroreflective surface
- R11 slip resistance
- Extremely wear-resistant and highly adhesive
- Suitable for coarse and uneven surfaces

**Material:** PU






**Material thickness:** 1,6 mm

**Surface:** retroreflective

**Slip class:** R11

**Adhesive:** extra permanent synthetic adhesive

**Application area:** indoor, outdoor with primer Nr.5



## Durable marking tape

WT-5846 // The tape for difficult floors

- Like WT-5845, but with a smooth surface
- Extremely wear-resistant and highly adhesive
- Suitable for coarse and uneven surfaces

**Material:** PU






**Material thickness:** 1,1 mm

**Surface:** slightly glossy

**Slip class:** /

**Adhesive:** extra permanent synthetic adhesive

**Application area:** indoor



## Tactile floor marking tape with slip resistance

WT-5848 // The tape for people with visual impairments

- Visual and tactile differentiation from conventional tapes
- Enables visually impaired people to orientate themselves
- High grip and non-slip surface, even in wet conditions
- Can be used in outdoor areas

**Material:** PU

**Material thickness:** 2,8 mm ± 0,5 mm

**Surface:** matt reflective


**Slip class:** R11

**Adhesive:** extra permanent synthetic rubber adhesive

**Application area:** indoor, outdoor with Primer No. 5



<b>yellow</b>	<b>width 50 mm</b>	<b>width 75 mm</b>
length 12,5 m	5848.04.050-12	5848.04.075-12



<b>white</b>	<b>width 50 mm</b>	<b>width 75 mm</b>
length 12,5 m	5848.08.050-12	5848.08.075-12



## Adaptable marking tape with slip resistance

WT-5645 // The shaping tape

- Adapts to the texture of the surface
- Slip resistance R12
- Especially for uneven surfaces, e.g. anti-slip coatings, concrete paving and asphalt floors

**Material:** coated soft aluminium


**Material thickness:** 0,6 mm

**Surface:** slightly glossy


**Slip class:** R12

**Adhesive:** extra permanent synthetic rubber adhesive

**Application area:** indoor, outdoor with Primer No. 5 Nr.5




<b>yellow</b>	<b>width 50 mm</b>	<b>width 75 mm</b>
length 12,5 m	5645.04.050-12	5645.04.075-12



<b>white</b>	<b>width 50 mm</b>	<b>width 75 mm</b>
length 12,5 m	5645.08.050-12	5645.08.075-12

WT-5645 is the ideal product for uneven floors with anti-slip coating or checker plates at entrances and exits. Can be used indoors and in weather-protected outdoor areas.



Other lengths, widths or customised solutions?  
We are happy to help you choose the right tape.

# Floor marking tapes

## Floor marking tape

WT-5125 // The universal tape

- Long lasting and durable tape
- Also available as segmented markings and storage space markings
- Wide range of colours and individually printable
- Suitable for smooth indoor floors

**Material:** PVC

**Material thickness:** 0,6 mm

**Surface:** matt

**Slip class:** /

**Adhesive:** permanent acrylic adhesive

**Application area:** indoor



yellow	width 50 mm	width 75 mm
length 10 m	5125.04.050-10	5125.04.075-10
length 25 m	5125.04.050	5125.04.075



red	width 50 mm	width 75 mm
length 10 m	5125.01.050-10	5125.01.075-10
length 25 m	5125.01.050	5125.01.075



green	width 50 mm	width 75 mm
length 10 m	5125.02.050-10	5125.02.075-10
length 25 m	5125.02.050	5125.02.075



dark blue	width 50 mm	width 75 mm
length 10 m	5125.10.050-10	5125.10.075-10
length 25 m	5125.10.050	5125.10.075



black	width 50 mm	Breite 75 mm
length 10 m	5125.07.050-10	5125.07.075-10
length 25 m	5125.07.050	5125.07.075




yellow-black	width 50 mm	width 75 mm
length 10 m	5125.17.050-10	5125.17.075-10
length 25 m	5125.17.050	5125.17.075



red-white	width 50 mm	width 75 mm
length 10 m	5125.18.050-10	5125.18.075-10
length 25 m	5125.18.050	5125.18.075



green-white	width 50 mm	width 75 mm
length 10 m	5125.19.050-10	5125.19.075-10
length 25 m	5125.19.050	5125.19.075



white	width 50 mm	width 75 mm
length 10 m	5125.08.050-10	5125.08.075-10
length 25 m	5125.08.050	5125.08.075



light grey	width 50 mm	width 75 mm
length 10 m	5125.06.050-10	5125.06.075-10
length 25 m	5125.06.050	5125.06.075

## Standard floor marking tape

WT-5160 // The versatile tape

- | Quick to apply
- | Easy to remove
- | Ideal for changing markings
- | Suitable for smooth indoor floors

**Material:** soft PVC

**Material thickness:** 0,16 mm

**Surface:** matt

**Slip class:** /

**Adhesive:** good bonding rubber adhesive

**Application area:** indoor




yellow	width 50 mm	width 75 mm
length 33 m	5160.04.050	5160.04.075




red	width 50 mm	width 75 mm
length 33 m	5160.01.050	5160.01.075



green	width 50 mm	width 75 mm
length 33 m	5160.02.050	5160.02.075



blue	width 50 mm	width 75 mm
length 33 m	5160.10.050	5160.10.075



yellow-black	width 50 mm	width 75 mm
length 33 m	5160.17.050	5160.17.075

## Segmented floor marking

WT-5124 and WT-5126 // Compatible with WT-5125

- | Quick and easy application from a roll
- | Reduced contact points thanks to segmented marking
- | Ideal for highly frequented forklift traffic
- | Easy replacement of single segments if damaged

**Material:** PVC

**Material thickness:** 0,6 mm

**Surface:** matt


**Slip class:** /

**Adhesive:** permanent acrylic adhesive



**Application area:** indoor area



yellow (stripes)	width 50 mm	width 75 mm
length 10 m	5124.04.050-10	5124.04.075-10
length 25 m	5124.04.050	5124.04.075



yellow (dots)	width 50 mm	width 75 mm
length 10 m	5126.04.050-10	5126.04.075-10
length 25 m	5126.04.050	5126.04.075



Contact us for further colours and materials!



# Extra thin floor marking tapes

## Dirt-repellent floor marking tape

WT-5229 // The tape for high demands

- For hygiene and food areas
- Extra thin and tear-resistant
- Also available as segmented labelling
- Wide range of colours and individually printable
- Suitable for smooth indoor floors

**Material:** polyester

**Material thickness:** 0,2 mm

**Surface:** glossy

**Slip class:** /

**Adhesive:** permanent acrylic adhesive

**Application area:** indoor



yellow	width 50 mm	width 75 mm
length 15 m	5229.04.050-15	5229.04.075-15



red	width 50 mm	width 75 mm
length 15 m	5229.01.050-15	5229.01.075-15



green	width 50 mm	width 75 mm
length 15 m	5229.02.050-15	5229.02.075-15



blue	width 50 mm	width 75 mm
length 15 m	5229.10.050-15	5229.10.075-15



yellow-black	width 50 mm	width 75 mm
length 15 m	5229.17.050-15	5229.17.075-15

## Marking tape with anti-slip surface plus

WT-5420 // The tape for high demands

- Easy to clean anti-slip surface
- Slip resistance R11, class C
- Suitable for wet barefoot areas
- Wide range of colours and can be printed individually
- Suitable for smooth indoor floors

**Material:** plastic foil

**Material thickness:** 0,4 mm

**Surface:** glossy

**Slip class:** R11 / class C

**Adhesive:** permanent acrylic adhesive (removable on request)

**Application area:** indoor




yellow	width 50 mm	width 75 mm
length 10 m	5420.04.050-10	5420.04.075-10



red	width 50 mm	width 75 mm
length 10 m	5420.01.050-10	5420.01.075-10



green	width 50 mm	width 75 mm
length 10 m	5420.02.050-10	5420.02.075-10



blue	width 50 mm	width 75 mm
length 10 m	5420.10.050-10	5420.10.075-10



yellow-black	width 50 mm	width 75 mm
length 10 m	5420.17.050-10	5420.17.075-10

# Signs for the floor

## Printed floor markings

The ideal addition to the WT-5125

- Individual design options
- Available as strips or rolls
- Slip resistance (R10 depending on variant)
- Suitable for smooth indoor floors

**Material:** PVC (WT-5125) | PVC Anti-slip (WT-5415)

**Material thickness:** 0,6 mm | 1,0 mm

**Surface:** matt

**Slip class:** / | R10

**Adhesive:** permanent acrylic adhesive

**Application area:** Indoor area



length	width 50 mm	width 75 mm	VE
60 cm	5125.99.B50-06	5125.99.B75-06	1
5 m	5125.99.B50-5	5125.99.B75-5	1
60 cm	5415.99.B50-06 <i>Anti-slip surface</i>	5415.99.B75-06 <i>Anti-slip surface</i>	1



length	width 50 mm	width 75 mm	VE
60 cm	5125.78.B50-06(EN)	5125.78.B75-06(EN)	1
5 m	5125.78.B50-5(EN)	5125.78.B75-5(EN)	1
60 cm	5415.78.B50-06(EN) <i>Anti-slip surface</i>	5415.78.B75-06(EN) <i>Anti-slip surface</i>	1



length	width 50 mm	width 75 mm	VE
60 cm	5125.84.B50-06(EN)	5125.84.B75-06(EN)	1
5 m	5125.84.B50-5(EN)	5125.84.B75-5(EN)	1
60 cm	5415.84.B50-06(EN) <i>Anti-slip surface</i>	5415.84.B75-06(EN) <i>Anti-slip surface</i>	1

The quick and easy installation makes the WT-5125 to the perfect floor marking in industrial and public areas.



## Safety signs for passageways and important areas

- Extremely robust surface
- Good durability and extremely wear-resistant
- Self-adhesive, quick to apply
- Can be customised on request
- Suitable for smooth indoor floors

**Material:** hard-PVC

**Material thickness:** 0,9 mm

**Surface:** slightly glossy

**Slip class:** /

**Adhesive:** permanent acrylic adhesive

**Application area:** indoor area



width	article number
900 mm	SH01.PX01.900



width	article number
900 mm	SH07.PX01.900



width	article number
900 mm	SH03.PX01.900



width	article number
900 mm	SH12.PX01.900



width	article number
900 mm	SH11.PX01.900



width	article number
900 mm	SH09.PX01.900

## Ideal for doorways and passageways



Our general terms and conditions apply, these can be found at our onlineshop. Misprints, errors and changes excepted.