

1TAPES



Main catalog

25
YEARS



A TAPES

We take a look back at 25 years of 1A Tapes

2001

FOUNDING of 1A Tapes e.K.

The establishment of 1A Tapes e.K. in Thuringia marked the beginning of a specialised company for high-quality adhesive and speciality tapes. At that time, founder Andreas Weiske was still operating out of his garage.

2005

RELOCATION to the first production hall

As demand increased, the company grew and, in addition to hiring new employees, various machines were also purchased. So 1A Tapes rented its first production hall in Bad Köstritz.



2010

REBRANDING to 1A Tapes GmbH

The successful development led to the company being renamed 1A Tapes GmbH. We took the plunge and thus achieved an important milestone in our company history.



2021

RELOCATION to the new company building

As a limited liability company, organisational structures were further expanded. Investments in technology, expertise and employees strengthened our performance. At the same time, our previous rented premises were reaching their limits – therefore we built our own production building, tailored entirely to our needs.



2025

GENERATION CHANGE in the management

After 25 years, Mr Weiske retired and handed over the reins to Robert Jobst. With new impetus, fresh ideas and a clear vision for the future, he continues to lead the company, combining proven values with modern corporate management.



25 YEARS

SUSTAINABILITY WITH 1A TAPES

Sustainability is an integral part of 1A Tapes GmbH business activities. We continuously optimise our processes to conserve resources, use energy efficiently and reduce emissions. This includes modern, energy-efficient production facilities, the use of a heat pump since 2025 and the conscious use of materials and packaging.

Our goal is to combine economic performance with ecological responsibility – today and in the future. With durable products, short delivery routes and the continuous development of our processes, we are making an active contribution to environmental and climate protection.

ecovadis

SAVING ENERGY AND RESOURCES

During production, we always pay attention to conserving resources and constantly optimise our processes to keep energy consumption as low as possible.

ZERO-WASTE-POLICY

We ensure maximum material utilisation during production. Our outer packaging is made from 100% recyclable material and our cardboard boxes are made from a high proportion of recycled waste paper.

RENEWABLE ENERGY

We use the power of the sun to generate a large part of our electricity supply sustainably via our in-house solar system.

HEAT FROM THE ENVIRONMENT

We consistently focus on heat pump technology, combining energy-efficient production with active climate protection.

DURABILITY

We ensure that our products meet very high quality standards. This means that our rolls have a long service life and, for the sake of the environment, material consumption is reduced.

OPTIMISED SHIPPING

When transporting our products, we strive to utilise the full capacity of each package. To this end, we use custom-fit cardboard boxes. This reduces shipping volume and CO2 emissions when transporting our products.





25 YEARS OF EXPERTISE

The story of 1a tapes began 25 years ago with a clear idea: to develop adhesive tape solutions that our customers could truly rely on. From modest beginnings, we have gradually grown into a high-performance company – built on trust, reliability and the belief that it is better to do things right than to do them quickly.

I would like to express my special thanks to our employees, who have shaped this journey with their commitment, experience and team spirit, as well as to our customers and partners for their many years of loyalty. Many business relationships have existed for decades – for me, this is the best confirmation of our work.

But an anniversary is not an end, but a stopover. Markets are changing, requirements are becoming more complex, and issues such as sustainability, digitalisation and security of supply are becoming increasingly important. This is precisely where I see our task for the coming years: maintaining proven quality while developing new solutions – more efficient, more resource-friendly and even closer to the needs of our customers.

I look forward to continuing on this path together with you.

Robert Jobst (CEO)

DIN EN ISO 9001:2015

Our certified quality management system in accordance with DIN EN ISO 9001:2015 guarantees you consistently high quality in our products, services and process reliability.

The certification not only meets high quality requirements, it also reflects our commitment to providing efficient, targeted services and our desire for continuous development and improvement.



**DQS certified according to
ISO 9001 : 2015
Reg.Nr. 310651 QM15**

EcoVadis Bronze certified

Sustainability is not just a trend for us, but part of our daily activities. With the successful EcoVadis assessment and the bronze award, our commitment has now also been independently confirmed.



Competent
employees



Fast
delivery times



Excellent service



State-of-the-art
machinery



Certified
quality management
system

CONTACT US!

 **+49 36602 2891 00**
Monday - Friday from 8 am - 3 pm


 **anfrage@1atapes.de**
For a personalised quote

 **www.1atapes.de**
24h Onlineshop

 **order@1atapes.de**
For your order

	Site
Introduction	
	Our services 6
	Product overview 8
Floor markings	
	Floor marking instructions 12
	Floor marking tapes 14
	Segmented floor marking 20
	Crosswalk 22
	Pictograms 23
	Parking space marker 24
	Labelling pockets 26
	Floor marking signs 27
	Safety sign - floor 28
	Floor signs - outdoor 32
	Optical and magnetic tracking tape 34
Anti-slip solutions	
	Anti-slip tapes 38
	Stair and edge profiles 40
Safety signs	
	Photoluminescent marking 46
	Escape route signs 48
	Fire protection signs 52
	Prohibition signs 54
	Mandatory signs 56
	Warning signs 58
	Individual signs 60
	Traffic signs 62
	Reflective marking 64
Shelf & storage labelling	
	Labels 68
	Pallet clamps 72
	Anti-Stick Label Holder 74
	Shelf lines and wall signs 76
	Flag signs 77
	Block storage & ceiling signs 78
	Ceiling cube & triangle signs 79
	Spray stencils 80
	Accessories 82
Planning & organizing	
	Cleaning station 86
	Magnet and whiteboard solutions 88
	Magnetic & adhesive info pockets 90
Fabric adhesive tapes	
	Fabric adhesive tapes 94
Industrial adhesive tapes	
	Double-sided acrylic adhesive tape 98
	Double-sided PE foam tape 98
	Double-sided film adhesive tape 98
	Double-sided non-woven adhesive tape 99
	Double-sided fabric adhesive tape 99
	High-temperature tape 99

OUR PRODUCTS



Shelf & aisle signs / p. 76

Block storage signs / p. 78

Fabric tapes / p. 94

Labels / p. 68

Escape route signs / p. 48

Photoluminescent marking / p. 46

Floor marking / p. 15


Signs for passageways / p. 30

Labelling pockets / p. 26

Storage location marker / p. 25

Crosswalk / p. 22

Warning marking / p. 15





Get to know us!
On our YouTube channel



OUR SERVICES

We don't just offer finished products. As manufacturer, we have comprehensive expertise, modern production processes and the necessary flexibility to go far beyond that. You supply the material – we take care of the processes.

We accompany your project step by step, from planning to implementation. Together, we analyse the requirements, develop suitable production methods and precisely coordinate each step of the process. Whether pre-processing, customisation, finishing or series production – we seamlessly integrate your materials into our processes and ensure consistently high quality. You benefit not only from our technology, but above all from our experience gained in daily practice.

On request, we can take on individual sub-processes in your value chain, thereby relieving your own capacities. Clear communication and short decision-making processes ensure planning reliability and cooperation on an equal footing.



CUTTING ROLLS

Thanks to various knife and cutting techniques, materials can be cut to individual roll widths with millimetre precision – exactly according to your specifications.



PLOTTING

The latest generation of cutters enable precise processing of a wide variety of materials. We offer maximum flexibility and can produce runs starting from just one piece.



LET US TAKE CARE OF YOUR INDIVIDUAL PROJECT RELIABLY



PLANNING AND DEVELOPING

Do you require a completely new solution? Our product development team is always happy to take on new challenges. We will work with you to develop a product that is precisely tailored to your requirements – from the initial idea to series production.



PUNCHING

Customized adhesive parts greatly simplify work processes. Our customized, self-adhesive die-cut parts enable you to increase the efficiency and cost-effectiveness of your production.



DATA CREATION

Our trained graphics team will professionally prepare your data and reliably implement your desired look. Whether you need customized signs or labels, we will ensure a consistent and high-quality result.



LARGE FORMAT PRINTING

We use state-of-the-art printing technology to bring your design to life. The particularly durable UV printing ensures brilliant colours and long-lasting results – even under heavy use.





FLOOR MARKING

- | Floor marking tapes
- | Printed floor marking
- | Segmented floor marking
- | Crosswalk
- | Pictograms
- | Storage location marker
- | Labelling pockets
- | Floor marking signs
- | Safety signs for the ground
- | Floor signs - outdoor
- | Optical tracking tape
- | Magnetic tracking tape

Notes on selection and bonding

All self-adhesive markings, signs, etc. offered in the catalog are items that are subject to wear and tear depending on the load. Before making your selection, please note the following points to find the right product for you.

Where should the marking be placed?

Indoor or outdoor use

What are the floor conditions?

e.g., smooth concrete screed, asphalt, or concrete paving

How can damage to the marking due to heavy loads be limited?

e.g., with segmented floor markings or labeling that does not restrict their function, or by attaching them to areas that are not subject to heavy loads

What kind of stress will the material be subjected to?

Forklift, pallet truck, pedestrian traffic
low or high frequency

Outdoor installation

Primer is required for asphalt, concrete, and other absorbent (coarse-pored) substrates.

Is slip resistance required?

Slip resistance or slip class R9 - R13

Installation instructions

Dry, grease-free, dust-free, and contamination-free substrate with a laying temperature >12°C



By observing the points mentioned above, all the advantages of self-adhesive products come into their own, such as immediate accessibility, individual marking options, quick removal, and the significant contribution to **5S**.

If you have any questions, our sales team is always happy to help!

Floor marking – The right color for clear marking


The different colors clearly indicate areas and functions. In many industrial companies, a largely consistent application has become established, which can serve as a good guide for your own use. We offer floor marking tapes in the following colors and meanings:

color	application example
white	Location determination for machines, devices and systems
yellow	Aisles, paths, and lanes, production cells
orange	Areas for material/production control or temporary storage
red	Safety/first aid, areas for waste and disposal, restricted storage area
green	Materials and manufacturing, finished goods
blue	Materials and manufacturing, raw materials
black	Materials and manufacturing, ongoing work
yellow/black	Areas with potential health hazards where special caution is required



Characteristics & recommended uses

Property	WT-5160	WT-5125	WT-500	WT-6000	WT-5229	WT-5845
typical application	temporary	universal	high load	extreme load	hygiene	uneven ground
pedestrian traffic	✓	✓	✓	✓	✓	✓
lifting and transport trolley		✓	✓	✓	✓	✓
forklift traffic		✓	✓	✓	✓	✓
			✓	✓		
durability	★	★★	★★★	★★★★★	★★	★★★
indoor / outdoor	indoor	indoor	indoor	indoor	indoor	indoor / outdoor
smooth concrete floor	✓	✓	✓	✓	✓	✓
concrete floor rough/ uneven						✓
coated floor, smooth e.g. epoxy resin or PU	✓	✓	✓	✓	✓	✓
coated floor rough e.g. with anti-slip coating						✓
smooth tiles	✓	✓				✓
asphalt / concrete paving						✓
material	soft-PVC	PVC	PVC (extruded)	spring steel	PET	PU
thickness (mm)	0.16	0.50	1.10	0.60	0.20	1.30
available widths (mm)	50 / 75	50 / 75 / 100	50 / 75 / 100	75	50 / 75 / 100	50 / 75 / 100
available lengths (m)	33	10 / 25	10 / 25	1.5 / 6	15	12.5 / 25
special features	removable without residue	wide range of colours	bevelled edges	extremely robust	easy to clean	slip class R11 retroreflective



Drive-over floor marking tape / WT-6000

The powerful solution for heavy-duty forklift traffic on smooth floors

- | Extremely wear-resistant
- | High resistance to continuous load
- | Dirt-resistant surface
- | Only suitable for smooth indoor floors

Material: Stahl

Material thickness: 0.6 mm

Surface: glossy

Adhesive: permanent acrylic adhesive

Area of application: indoor



Colour		75 mm x 1.5 m
yellow		5611.04.075
red		5611.01.075
blue		5611.10.075
green		5611.02.075
white		5611.08.075
schwarz		5611.07.075



Resistant floor marking tape / WT-500

Tape with bevelled edges

- | Flattened edges prevent damage to the border
- | Wear-resistant and high resistance with permanent load
- | Dirt-resistant surface
- | Only suitable for smooth floors indoors

Material: PVC

Material thickness: 1.1 mm

Surface: matt

Adhesive: permanent acrylic adhesive

Area of application: indoor



Laying instructions: when laying lengths of 10m or more, we recommend installing expansion joints of 5 mm

Colour		50 mm x 25 m	50 mm x 10 m	75 mm x 25 m	75 mm x 10 m	100 mm x 25 m	100 mm x 10 m
yellow		6125.04.050	6125.04.050-10	6125.04.075	6125.04.075-10	6125.04.100	6125.04.100-10
red		6125.01.050	6125.01.050-10	6125.01.075	6125.01.075-10	6125.01.100	6125.01.100-10
blue		6125.10.050	6125.10.050-10	6125.10.075	6125.10.075-10	6125.10.100	6125.10.100-10
green		6125.02.050	6125.02.050-10	6125.02.075	6125.02.075-10	6125.02.100	6125.02.100-10
white		6125.08.050	6125.08.050-10	6125.08.075	6125.08.075-10	6125.08.100	6125.08.100-10
black		6125.07.050	6125.07.050-10	6125.07.075	6125.07.075-10	6125.07.100	6125.07.100-10
yellow/black		6125.17.050-25L	6125.17.050-10L	6125.17.075-25L	6125.17.075-10L	6125.17.100-25L	6125.17.100-10L
red/white		6125.18.050-25L	6125.18.050-10L	6125.18.075-25L	6125.18.075-10L	6125.18.100-25L	6125.18.100-10L

Floor marking tape / WT-5125

The universal tape

- Long-lasting and durable tape
- Available as segmented marker at p.20 and storage location marking at p.24
- Wide range of colours and individually printable
- Suitable for smooth indoor floors

Material: PVC

Material thickness: 0.6 mm

Surface: matt

Adhesive: permanent acrylic adhesive

Application area: indoor



standard colors	50 mm x 25 m	50 mm x 10 m	75 mm x 25 m	75 mm x 10 m	100 mm x 25 m	100 mm x 10 m
yellow	5125.04.050	5125.04.050-10	5125.04.075	5125.04.075-10	5125.04.100	5125.04.100-10
red	5125.01.050	5125.01.050-10	5125.01.075	5125.01.075-10	5125.01.100	5125.01.100-10
blue	5125.10.050	5125.10.050-10	5125.10.075	5125.10.075-10	5125.10.100	5125.10.100-10
green	5125.02.050	5125.02.050-10	5125.02.075	5125.02.075-10	5125.02.100	5125.02.100-10
orange	5125.12.050	5125.12.050-10	5125.12.075	5125.12.075-10	5125.12.100	5125.12.100-10
white	5125.08.050	5125.08.050-10	5125.08.075	5125.08.075-10	5125.08.100	5125.08.100-10
black	5125.07.050	5125.07.050-10	5125.07.075	5125.07.075-10	5125.07.100	5125.07.100-10
yellow/black	5125.17.050	5125.17.050-10	5125.17.075	5125.17.075-10	5125.17.100	5125.17.100-10

special colors	50 mm x 25 m	50 mm x 10 m	75 mm x 25 m	75 mm x 10 m	100 mm x 25 m	100 mm x 10 m
red/white	5125.18.050	5125.18.050-10	5125.18.075	5125.18.075-10	5125.18.100	5125.18.100-10
blue/white	-	5125.21.050-10	-	5125.21.075-10	-	5125.21.100-10
green/white	-	5125.19.050-10	-	5125.19.075-10	-	5125.19.100-10
black/white	-	5125.20.050-10	-	5125.20.075-10	-	5125.20.100-10
light blue	5125.03.050	5125.03.050-10	5125.03.075	5125.03.075-10	5125.03.100	5125.03.100-10
light green	5125.15.050	5125.15.050-10	5125.15.075	5125.15.075-10	5125.15.100	5125.15.100-10
light grey	5125.06.050	5125.06.050-10	5125.06.075	5125.06.075-10	5125.06.100	5125.06.100-10
grey	5125.11.050	5125.11.050-10	5125.11.075	5125.11.075-10	5125.11.100	5125.11.100-10
pink	5125.25.050	5125.25.050-10	5125.25.075	5125.25.075-10	5125.25.100	5125.25.100-10
purple	5125.26.050	5125.26.050-10	5125.26.075	5125.26.075-10	5125.26.100	5125.26.100-10

Printed floor marking tape

The ideal complement to tapes WT-5125

- Custom design – texts and symbols can be freely combined
- Available as strips or rolls
- Also available with slip resistance on request



Can be individually printed



Customizable – pictogram and text as desired



Material	Length	50 mm	75 mm
WT-5125	60 cm	5125.78.B50-06(EN)	5125.78.B75-06(EN)
	5 m	5125.78.B50-5(EN)	5125.78.B75-5(EN)



Material	Length	50 mm	75 mm
WT-5125	60 cm	5125.84.B50-06	5125.84.B75-06
	5 m	5125.84.B50-5	5125.84.B75-5



Material	Length	50 mm	75 mm
WT-5125	60 cm	5125.99.B50-06	5229.99.B75-06
	5 m	5125.99.B50-5	5229.99.B75-5

Durable floor marking tape / WT-5846

The safe choice for uneven surfaces

- Similar to WT-5845, but with a smooth surface
- Extremely wear-resistant and strongly adhesive
- Suitable for rough and uneven surfaces

Material: PU


Material thickness: 1.1 mm

Surface: slightly glossy

Slip class: /

Adhesive: extra permanent synthetic rubber

Area of application: indoor



Colour		50 mm x 25 m	50 mm x 12.5 m	75 mm x 25 m	75 mm x 12.5 m	100 mm x 25 m	100 mm x 12.5 m
yellow		5846.04.050	5846.04.050-12	5846.04.075	5846.04.075-12	5846.04.100	5846.04.100-12
red		5846.01.050	5846.01.050-12	5846.01.075	5846.01.075-12	5846.01.100	5846.01.100-12
blue		5846.10.050	5846.10.050-12	5846.10.075	5846.10.075-12	5846.10.100	5846.10.100-12
green		5846.02.050	5846.02.050-12	5846.02.075	5846.02.075-12	5846.02.100	5846.02.100-12
white		5846.08.050	5846.08.050-12	5846.08.075	5846.08.075-12	5846.08.100	5846.08.100-12



Durable floor marking tape / WT-5845

The anti-slip tape for difficult ground

- Retroreflective and anti-slip R11 surface
- Extremely wear-resistant and strongly adhesive
- Can also be used outdoors
- Suitable for rough and uneven surfaces

Material: PU

Material thickness: 1.6 mm

Surface: reflective


Slip class: R11

Adhesive: extra permanent synthetic rubber

Application area: for indoors and outdoors



Colour		50 mm x 25 m	50 mm x 12.5 m	75 mm x 25 m	75 mm x 12.5 m	100 mm x 25 m	100 mm x 12.5 m
yellow		5845.04.050	5845.04.050-12	5845.04.075	5845.04.075-12	5845.04.100	5845.04.100-12
red		5845.01.050	5845.01.050-12	5845.01.075	5845.01.075-12	5845.01.100	5845.01.100-12
blue		5845.10.050	5845.10.050-12	5845.10.075	5845.10.075-12	5845.10.100	5845.10.100-12
green		5845.02.050	5845.02.050-12	5845.02.075	5845.02.075-12	5845.02.100	5845.02.100-12
white		5845.08.050	5845.08.050-12	5845.08.075	5845.08.075-12	5845.08.100	5845.08.100-12
black		5845.07.050	5845.07.050-12	5845.07.075	5845.07.075-12	5845.07.100	5845.07.100-12
yellow/black		5845.17.050	5845.17.050-12	5845.17.075	5845.17.075-12	5845.17.100	5845.17.100-12



Laying instructions: In outdoor areas, pre-treat the substrate with Primer No. 5 - page 82

Suitable for uneven floors with additional anti-slip effect



Tactile floor marking tape / WT-5848

The tape for visually impaired people

- Optical and tactile differentiation from conventional tapes
- Allows visually impaired people to find their way around
- Extremely wear-resistant and strongly adhesive
- Grip and non-slip surface, even in wet conditions
- Suitable for rough and uneven surfaces

Material: PU

Material thickness: 2.2 mm

Surface: matt reflective

Slip class: R11

Adhesive: extra permanent synthetic rubber

Application area: indoor and outdoor

Colour	30 mm x 12.5 m	50 mm x 12.5 m	75 mm x 12.5 m	100 mm x 12.5 m
yellow	5848.04.030-12	5848.04.050-12	5848.04.075-12	5848.04.100-12
white	5848.08.030-12	5848.08.050-12	5848.08.075-12	5848.08.100-12

Laying instructions: outside, pre-treat the substrate with Primer No. 5 – Page 82



Conformable floor marking tape / WT-5645

The band that's getting in shape

- Adapts to the profile of the substrate
- Slip resistance R12
- Especially for uneven substrates e.g. anti-slip coatings, concrete paving, asphalt floors and checker plates

Material: coated soft aluminium

Material thickness: 0.6 mm

Surface: slightly glossy


Slip class: R12

Adhesive: extra permanent synthetic rubber

Application area: for indoors and outdoors

Colour	50 mm x 12.5 m	75 mm x 12.5 m	100 mm x 12.5 m
yellow	5645.04.050-12	5645.04.075-12	5645.04.100-12
white	5645.08.050-12	5645.08.075-12	5645.08.100-12

Laying instructions: use pressure rollers for profiled surfaces. Outside, pre-treat the substrate with Primer No. 5.



Ideally suited for epoxy resin floors with anti-slip coating



Standard floor marking tape / WT-5160

The solution for temporary markings for pedestrian traffic

- Quick to apply
- Easily removable
- Perfect for variable marking
- Suitable for smooth floors indoors


Material: PVC

Material thickness: 0.16 mm

Surface: matt

Adhesive: strong rubber adhesion

Area of application: indoor



Colour		50 mm x 33 m	75 mm x 33 m
yellow		5160.04.050	5160.04.075
red		5160.01.050	5160.01.075
orange		5160.12.050	5160.12.075
blue		5160.10.050	5160.10.075
green		5160.02.050	5160.02.075
white		5160.08.050	5160.08.075
black		5160.07.050	5160.07.075
yellow/black		5160.17.050	5160.17.075
red/white		5160.18.050	5160.18.075



Dirt-repellent floor marking tape / WT-5229

Ideal for hygienically sensitive areas

- Suitable for hygiene and food areas
- Extra thin and tear-resistant
- Also available as segmented marking at p.20 and storage location markers at p.24
- Suitable for smooth indoor floors

Material: PET

Material thickness: 0.2 mm

Surface: glossy

Adhesive: permanent acrylic adhesive

Area of application: indoor

customized
printable



Colour		Permanent adhesive		
		50 mm x 15 m	75 mm x 15 m	100 mm x 15 m
yellow		5229.04.050-15	5229.04.075-15	5229.04.100-15
red		5229.01.050-15	5229.01.075-15	5229.01.100-15
blue		5229.10.050-15	5229.10.075-15	5229.10.100-15
green		5229.02.050-15	5229.02.075-15	5229.02.100-15
orange		5229.12.050-15	5229.12.075-15	5229.12.100-15
white		5229.08.050-15	5229.08.075-15	5229.08.100-15
black		5229.07.050-15	5229.07.075-15	5229.07.100-15
yellow/black		5229.17.050-15	5229.17.075-15	5229.17.100-15
red/white		5229.18.050-15	5229.18.075-15	5229.18.100-15
black/white		5229.20.050-15	5229.20.075-15	5229.20.100-15

You will find suitable storage location markers on p. 24



ESD floor marking tape / WT-5760

Flexible tape with ESD protection on both sides

- ESD protection on both sides for safe use in sensitive areas
- Printed symbol for visible safety
- Long life thanks to PET layer
- RoHS compliant
- Suitable for smooth indoor floors

Material: vinyl with PET laminate

Material thickness: 0.142 mm ± 0.1

Surface: glossy

Adhesive: permanent acrylic adhesive

Area of application: indoor use

Surface resistance:

Surface: $<1.0 \times 10^9 \Omega$

Adhesive: $<1.0 \times 10^{10} \Omega$

Visibility thanks to
ESD symbol

NEW



Colour		50 mm x 33 m	75 mm x 33 m	100 mm x 33 m
yellow		5760.04.050	5760.04.075	5760.04.100
red		5760.01.050	5760.01.075	5760.01.100
blue		5760.10.050	5760.10.075	5760.10.100
green		5760.02.050	5760.02.075	5760.02.100
orange		5760.12.050	5760.12.075	5760.12.100
white		5760.08.050	5760.08.075	5760.08.100



ESD floor marking tape PREMIUM / WT-5729

Permanent marking in electrostatically sensitive areas

- Maintains its antistatic function over the long term thanks to high-quality PET lamination
- Proven ESD protection for safe use in sensitive areas
- No stretching during use
- Durable and suitable for pedestrians and pallet trucks
- For smooth indoor floors

Material: plastic film

Material thickness: 0.16 mm ± 0.1

Surface: highly glossy

Adhesive: permanent acrylic adhesive

Area of application: indoor use

Surface resistance:

Surface: $<1.0 \times 10^9 \Omega$

Adhesive: $<1.0 \times 10^{10} \Omega$

NEW



Colour		50 mm x 20 m	75 mm x 20 m	100 mm x 20 m
yellow		5729.04.050	5729.04.075	5729.04.100



Segmented Floor marking



Reduces the contact surface
in high-traffic areas



Easy to lay from a roll



Damage only to individual segments



Quick and easy replacement

Floor marking strips and dots

The alternative to continuous marking tape

- | Reduced contact surface in high-traffic areas
- | Simple bonding as rolls due to mounting foil
- | Fast replacement in case of damage
- | Very good floor bond
- | Suitable for smooth indoor floors

For easy installation, the strips are already produced on a roll with the appropriate spacing. This means that the segmented floor marking can be laid like a conventional marking tape.



Universal segmented floor marking | WT-5126 / WT-5124

✓ Ideal complement to the WT-5125 tape

✓ Suitable for smooth indoor floors

Material: PVC (like tape WT-5125)

Material thickness: 0.6 mm

Surface: matt


Adhesive: permanent acrylic adhesive

Area of application: indoor




Dots | WT-5126

Colour		Roll	
		50 mm x 25 m	75 mm x 25 m
yellow		5126.04.050	5126.04.075
red		5126.01.050	5126.01.075
blue		5126.10.050	5126.10.075
green		5126.02.050	5126.02.075
white		5126.08.050	5126.08.075
black		5126.07.050	5126.07.075



Strips | WT-5124

Colour		Roll	
		50 mm x 25 m	75 mm x 25 m
yellow		5124.04.050	5124.04.075
red		5124.01.050	5124.01.075
blue		5124.10.050	5124.10.075
green		5124.02.050	5124.02.075
white		5124.08.050	5124.08.075
black		5124.07.050	5124.07.075



Dirt-repellent segmented floor marking | WT-5226 / WT-5224

✓ Ideal complement to the WT-5229 tape

✓ Suitable for smooth indoor floors

Material: PET (like tape WT-5229)

Material thickness: 0.2 mm extra thin and tear-resistant

Surface: glossy


Adhesive: permanent

Area of application: indoor




Dots | WT-5226

Color		Roll			
		50 mm x 10 m	50 mm x 25 m	75 mm x 10 m	75 mm x 25 m
yellow		5226.04.050-10	5226.04.050	5226.04.075-10	5226.04.075
red		5226.01.050-10	5226.01.050	5226.01.075-10	5226.01.075
blue		5226.10.050-10	5226.10.050	5226.10.075-10	5226.10.075
green		5226.02.050-10	5226.02.050	5226.02.075-10	5226.02.075
white		5226.08.050-10	5226.08.050	5226.08.075-10	5226.08.075
black		5226.07.050-10	5226.07.050	5226.07.075-10	5226.07.075



Strips | WT-5224

Color		Roll			
		50 mm x 10 m	50 mm x 25 m	75 mm x 10 m	75 mm x 25 m
yellow		5224.04.050-10	5224.04.050	5224.04.075-10	5224.04.075
red		5224.01.050-10	5224.01.050	5224.01.075-10	5224.01.075
blue		5224.10.050-10	5224.10.050	5224.10.075-10	5224.10.075
green		5224.02.050-10	5224.02.050	5224.02.075-10	5224.02.075
white		5224.08.050-10	5224.08.050	5224.08.075-10	5224.08.075
black		5224.07.050-10	5224.07.050	5224.07.075-10	5224.07.075



Crosswalk

More safety when crossing roads



Crosswalk / WT-5110 / WT-7410 / WT-5845

The safe and simple solution for pedestrians

- | Safety for pedestrians, high warning and information effect
- | High durability
- | Quick and easy installation, can be walked on immediately after laying

Material: PVC

Feature: like tape WT-5125

Material thickness: 0.6 mm

Surface: matt

Adhesive: permanent acrylic adhesive

Floor: for smooth and gap-free floors

Application area: indoor

Material: Hard PVC

Feature: extremely wear-resistant

Material thickness: 0.9 mm

Surface: slightly glossy / finely textured

Adhesive: permanent acrylic adhesive

Floor: for smooth and gap-free floors

Application area: indoor

Material: PU

Feature: like tape WT-5845

Material thickness: 1.6 mm

Surface: reflective


Slip-class: R11

Adhesive: permanent synthetic rubber

Application area: indoor,
with primer Nr.5 for outdoor

Laying suggestion:

One set is suitable
for laying a com-
plete crosswalk



Set 5 strips/PU	PVC		Hard PVC	PU	
	20 cm x 120 cm	30 cm x 150 cm	20 cm x 120 cm	20 cm x 120 cm	30 cm x 150 cm
yellow	5110.04.200-1200.S	5110.04.300-1500.S	7410.04.200-1200.S	5845.04.200-1200.S	5845.04.300-1500.S
white	5110.08.200-1200.S	5110.08.300-1500.S	7410.08.200-1200.S	5845.08.200-1200.S	5845.08.300-1500.S

Single strips	PVC		Hard PVC	PU	
	20 cm x 120 cm	30 cm x 150 cm	20 cm x 120 cm	20 cm x 120 cm	30 cm x 150 cm
yellow	5110.04.200-1200	5110.04.300-1500	7410.04.200-1200	5845.04.200-1200	5845.04.300-1500
white	5110.08.200-1200	5110.08.300-1500	7410.08.200-1200	5845.08.200-1200	5845.08.300-1500

Single strips Attention forklift	PVC		Hard PVC	
	20 cm x 120 cm	30 cm x 150 cm	20 cm x 120 cm	
yellow	5110.78.200-1200	5110.78.300-1500	7410.78.200-1200	

Pictograms

More visibility for roads and footpaths



Pictograms / WT-5111

Wear-resistant and durable

Material: PVC (like tape WT-5125)

Material thickness: 0.6 mm

Surface: matt

Adhesive: Acrylic adhesive

Area of application: indoor

	Pedestrian 600 x 330 mm	Footprint 297 x 110 mm	Forklift 400 x 473 mm	Arrow 145 x 90 mm
				
Colour	1 piece/VE	5 pair/VE	1 piece/VE	10 pieces/VE
yellow	5111.04.101	5111.04.121	5111.04.104	5111.04.131
red	5111.01.101	5111.01.121	5111.01.104	5111.01.131
blue	5111.10.101	5111.10.121	5111.10.104	5111.10.131
green	5111.02.101	5111.02.121	5111.02.104	5111.02.131
white	5111.08.101	5111.08.121	5111.08.104	5111.08.131



Durable pictograms / WT-5811

Retroreflective and slip-resistant R11 surface

Extremely wear-resistant and highly adhesive

Material: PU (like tape WT-5845)

Material thickness: 1.6 mm


Surface: retroreflective

Slip class: R11

Adhesive: permanent synthetic rubber

Area of application: indoor and outdoor

	Pedestrian 600 x 330 mm	Footprint 297 x 110 mm	Forklift 400 x 473 mm	Arrow 145 x 90 mm
				
Colour	1 piece/VE	5 pair/VE	1 piece/VE	10 pieces/VE
yellow	5811.04.101	5811.04.121	5811.04.104	5811.04.131
red	5811.01.101	5811.01.121	5811.01.104	5811.01.131
blue	5811.10.101	5811.10.121	5811.10.104	5811.10.131
green	5811.02.101	5811.02.121	5811.02.104	5811.02.131
white	5811.08.101	5811.08.121	5811.08.104	5811.08.131







Laying instructions: In outdoor areas,
pre-treat the substrate with Primer No. 5

Storage location marker





More organization for pallet storage spaces



Side width 50 mm



Side width 75 mm



Without damage when moving pallets

Storage location marker | WT-5210 / 5110 / 5810

For fast and structured marking of storage locations

- Different materials for different requirements
- High resistance and strong adhesion
- Suitable for various indoor floors



Material: PET (like tape WT-5229)
Material thickness: 0.2 mm
Surface: glossy
Adhesive: permanent acrylic adhesive
Floor: for smooth and gap-free floors



Material: PVC (like tape WT-5125)
Material thickness: 0.6 mm
Surface: matt
Adhesive: permanent acrylic adhesive
Floor: for smooth and gap-free floors



Material: PU (like tape WT-5845)
Material thickness: 1.6 mm
Surface: anti-slip R11 - reflective
Adhesive: extra permanent synthetic rubber
Floor: for rough and granulated floors

L-pieces	PET – WT-5210		PVC – WT-5110		PU – WT-5845	
	50 mm	75 mm	50 mm	75 mm	50 mm	75 mm
	25 piece/VE	25 piece/VE	25 piece/VE	25 piece/VE	25 piece/VE	25 piece/VE
yellow	5210.04.060	5210.04.063	5110.04.060	5110.04.063	5810A.04.060	5810A.04.063
red	5210.01.060	5210.01.063	5110.01.060	5110.01.063	5810A.01.060	5810A.01.063
blue	5210.10.060	5210.10.063	5110.10.060	5110.10.063	5810A.10.060	5810A.10.063
green	5210.02.060	5210.02.063	5110.02.060	5110.02.063	5810A.02.060	5810A.02.063
white	5210.08.060	5210.08.063	5110.08.060	5110.08.063	5810A.08.060	5810A.08.063
yellow/black	5210.17.060	5210.17.063	–	–	–	–
T-pieces	PET – WT-5210		PVC – WT-5110		PU – WT-5845	
	50 mm	75 mm	50 mm	75 mm	50 mm	75 mm
	25 piece/VE	25 piece/VE	25 piece/VE	25 piece/VE	25 piece/VE	25 piece/VE
yellow	5210.04.061	5210.04.065	5110.04.061	5110.04.065	5810A.04.061	5810A.04.065
red	5210.01.061	5210.01.065	5110.01.061	5110.01.065	5810A.01.061	5810A.01.065
blue	5210.10.061	5210.10.065	5110.10.061	5110.10.065	5810A.10.061	5810A.10.065
green	5210.02.061	5210.02.065	5110.02.061	5110.02.065	5810A.02.061	5810A.02.065
white	5210.08.061	5210.08.065	5110.08.061	5110.08.065	5810A.08.061	5810A.08.065
yellow/black	5210.17.061	5210.17.065	–	–	–	–
X-pieces	PET – WT-5210		PVC – WT-5110		PU – WT-5845	
	50 mm	75 mm	50 mm	75 mm	50 mm	75 mm
	25 piece/VE	25 piece/VE	25 piece/VE	25 piece/VE	25 piece/VE	25 piece/VE
yellow	5210.04.062	5210.04.064	5110.04.062	5110.04.064	5810A.04.062	5810A.04.064
red	5210.01.062	5210.01.064	5110.01.062	5110.01.064	5810A.01.062	5810A.01.064
blue	5210.10.062	5210.10.064	5110.10.062	5110.10.064	5810A.10.062	5810A.10.064
green	5210.02.062	5210.02.064	5110.02.062	5110.02.064	5810A.02.062	5810A.02.064
white	5210.08.062	5210.08.064	5110.08.062	5110.08.064	5810A.08.062	5810A.08.064
yellow/black	5210.17.062	5210.17.064	---	---	---	---
Stripe pieces	PET – WT-5210		PVC – WT-5110		PU – WT-5845	
	50 mm	75 mm	50 mm	75 mm	50 mm	75 mm
	25 piece/VE	25 piece/VE	25 piece/VE	25 piece/VE	25 piece/VE	25 piece/VE
yellow	5210.04.071	5210.04.073	5110.04.071	5110.04.073	5810A.04.071	5810A.04.073
red	5210.01.071	5210.01.073	5110.01.071	5110.01.073	5810A.01.071	5810A.01.073
blue	5210.10.071	5210.10.073	5110.10.071	5110.10.073	5810A.10.071	5810A.10.073
green	5210.02.071	5210.02.073	5110.02.071	5110.02.073	5810A.02.071	5810A.02.073
white	5210.08.071	5210.08.073	5110.08.071	5110.08.073	5810A.08.071	5810A.08.073
yellow/black	5210.17.071	5210.17.073	–	–	–	–
Circle	PET – WT-5210		PVC – WT-5110		PU – WT-5845	
	50 mm	75 mm	50 mm	75 mm	50 mm	75 mm
	25 piece/VE	25 piece/VE	25 piece/VE	25 piece/VE	25 piece/VE	25 piece/VE
yellow	5210.04.069	5210.04.070	5110.04.069	5110.04.070	5810A.04.069	5810A.04.070
red	5210.01.069	5210.01.070	5110.01.069	5110.01.070	5810A.01.069	5810A.01.070
blue	5210.10.069	5210.10.070	5110.10.069	5110.10.070	5810A.10.069	5810A.10.070
green	5210.02.069	5210.02.070	5110.02.069	5110.02.070	5810A.02.069	5810A.02.070
white	5210.08.069	5210.08.070	5110.08.069	5110.08.070	5810A.08.069	5810A.08.070
yellow/black	5210.17.069	5210.17.070	–	–	–	–

Floor Marking & Labels

For structured and clean marking



Ideal for interchangeable labelling

Labelling pockets

For exchangeable or short-term labelling

- | Open for frequently changing labelling
- | Closed to protect against moisture
- | Easy and fast bonding
- | Very good floor bond
- | Suitable for smooth indoor floors


Material: PVC

Material thickness: 1.2 mm

Surface: slightly glossy

Adhesive: permanent acrylic adhesive

Area of application: indoor



		A4 closed indoors: 210 x 297 mm outdoors: 290 x 323 mm	A4 open indoors: 210 x 297 mm outdoors: 290 x 302 mm	A5 closed indoors: 148 x 210 mm outdoors: 231 x 236 mm	A5 open indoors: 148 x 210 mm outdoors: 216 x 231 mm	1/2 A4 closed indoors: 105 x 297 mm outdoors: 187 x 323 mm	1/2 A4 open indoors: 105 x 297 mm outdoors: 187 x 303 mm	1/3 A4 closed indoors: 99 x 210 mm outdoors: 180 x 236 mm	1/3 A4 open indoors: 99 x 210 mm outdoors: 180 x 216 mm
Colour		10 piece/VE	10 piece/VE	10 piece/VE	10 piece/VE	10 piece/VE	10 piece/VE	10 piece/VE	10 piece/VE
yellow		5118.04.1-A4	5118.04.0-A4	5118.04.1-A5	5118.04.0-A5	5118.04.2-A4	5118.04.5-A4	5118.04.3-A4	5118.04.4-A4
red		5118.01.1-A4	5118.01.0-A4	5118.01.1-A5	5118.01.0-A5	5118.01.2-A4	5118.01.5-A4	5118.01.3-A4	5118.01.4-A4
blue		5118.10.1-A4	5118.10.0-A4	5118.10.1-A5	5118.10.0-A5	5118.10.2-A4	5118.10.5-A4	5118.10.3-A4	5118.10.4-A4
green		5118.02.1-A4	5118.02.0-A4	5118.02.1-A5	5118.02.0-A5	5118.02.2-A4	5118.02.5-A4	5118.02.3-A4	5118.02.4-A4
orange		5118.12.1-A4	5118.12.0-A4	5118.12.1-A5	5118.12.0-A5	5118.12.2-A4	5118.12.5-A4	5118.12.3-A4	5118.12.4-A4
white		5118.08.1-A4	5118.08.0-A4	5118.08.1-A5	5118.08.0-A5	5118.08.2-A4	5118.08.5-A4	5118.08.3-A4	5118.08.4-A4
light grey		5118.06.1-A4	5118.06.0-A4	5118.06.1-A5	5118.06.0-A5	5118.06.2-A4	5118.06.5-A4	5118.06.3-A4	5118.06.4-A4
dark grey		5118.11.1-A4	5118.11.0-A4	5118.11.1-A5	5118.11.0-A5	5118.11.2-A4	5118.11.5-A4	5118.11.3-A4	5118.11.4-A4
black		5118.07.1-A4	5118.07.0-A4	5118.07.1-A5	5118.07.0-A5	5118.07.2-A4	5118.07.5-A4	5118.07.3-A4	5118.07.4-A4



Customized design for permanent labelling

Floor marking signs

For durable and resistant labelling

- | For marking warehouse and storage locations
- | Individual and scratch-resistant print
- | Wear-resistant and high resistance with permanent load
- | Suitable for smooth floors indoors

Material: Hard PVC
Material thickness: 0.9 mm
Surface: slightly glossy
Adhesive: permanent acrylic adhesive
Area of application: Indoor



Size	100 mm x 120 mm (HxW)	100 mm x 180 mm (HxW)	100 mm x 300 mm (HxW)	A5 148 mm x 210 mm (HxW)	A4 210 mm x 297 mm (HxW)
Item number	LB99.PX01.100-120	LB99.PX01.100-180	LB99.PX01.100-300	LB99.PX01.148-210	LB99.PX01.210-297

Other sizes, colours or materials on request - we will advise you on your individual solution!

Safety signs for the floor

Ensure more safety in your company



Safety sign

For replaceable or short-term labeling

- | Suitable for forklift traffic
- | For production and logistics areas
- | Very high abrasion resistance
- | Permanent adhesion

Material: Hard PVC

Property: extremely wear-resistant

Material thickness: 0.9 mm

Surface: slightly glossy / finely textured

Slip class: /

Adhesive: permanent acrylate adhesive

Area of application: Indoor

- | Suitable for pedestrian traffic

- | For specific areas of use such as sidewalks

- | Permanent bonding

- | Good durability

Material: PVC

Property: with slip resistance

Material thickness: 1.0 mm

Surface: slightly glossy and finely textured

Slip class: R10

Adhesive: permanent acrylic adhesive

Area of application: Indoor



All ASR motifs and individual designs can be found in the online store: www.1atapes.de



General warning sign (ASR A1.3)

Material	mm	Item number
Hard-PVC	200	SW01.PX01.200
	400	SW01.PX01.400
	600	SW01.PX01.600
Foil	200	SW01.FAB1a9.200
	400	SW01.FAB1a9.400
	600	SW01.FAB1a9.600



Warning of forklifts (ASR A1.3)

Material	mm	Item number
Hard-PVC	200	SW14.PX01.200
	400	SW14.PX01.400
	600	SW14.PX01.600
Foil	200	SW14.FAB1a9.200
	400	SW14.FAB1a9.400
	600	SW14.FAB1a9.600



Warning of explosive atmosphere (ASR A1.3)

Material	mm	Item number
Hard-PVC	200	SW27.PX01.200
	400	SW27.PX01.400
	600	SW27.PX01.600
Foil	200	SW27.FAB1a9.200
	400	SW27.FAB1a9.400
	600	SW27.FAB1a9.600



Risk of slipping warning (ASR A1.3)

Material	mm	Item number
Hard-PVC	200	SW11.PX01.200
	400	SW11.PX01.400
	600	SW11.PX01.600
Foil	200	SW11.FAB1a9.200
	400	SW11.FAB1a9.400
	600	SW11.FAB1a9.600



Prohibited for forklift trucks (ASR A1.3)

Material	Ø/mm	Item number
Hard-PVC	200	SV01.PX01.200
	400	SV01.PX01.400
	600	SV01.PX01.600
Foil	200	SV01.FAB1a9.200
	400	SV01.FAB1a9.400
	600	SV01.FAB1a9.600



No pedestrians allowed (ASR A1.3)

Material	Ø/mm	Item number
Hard-PVC	200	SV03.PX01.200
	400	SV03.PX01.400
	600	SV03.PX01.600
Foil	200	SV03.FAB1a9.200
	400	SV03.FAB1a9.400
	600	SV03.FAB1a9.600



No admission for unauthorised person (ASR A1.3)

Material	Ø/mm	Item number
Hard-PVC	200	SV06.PX01.200
	400	SV06.PX01.400
	600	SV06.PX01.600
Foil	200	SV06.FAB1a9.200
	400	SV06.FAB1a9.400
	600	SV06.FAB1a9.600



Deposit or storage of items strictly forbidden (ASR A1.3)

Material	Ø/mm	Item number
Hard-PVC	200	SV02.PX01.200
	400	SV02.PX01.400
	600	SV02.PX01.600
Foil	200	SV02.FAB1a9.200
	400	SV02.FAB1a9.400
	600	SV02.FAB1a9.600



General mandatory sign (ASR A1.3)

Material	Ø/mm	Item number
Hard-PVC	200	SG17.PX01.200
	400	SG17.PX01.400
	600	SG17.PX01.600
Foil	200	SG17.FAB1a9.200
	400	SG17.FAB1a9.400
	600	SG17.FAB1a9.600



Use pedestrian walkway (ASR A1.3)

Material	Ø/mm	Item number
Hard-PVC	200	SG16.PX01.200
	400	SG16.PX01.400
	600	SG16.PX01.600
Foil	200	SG16.FAB1a9.200
	400	SG16.FAB1a9.400
	600	SG16.FAB1a9.600



Use head protection (ASR A1.3)

Material	Ø/mm	Item number
Hard-PVC	200	SG03.PX01.200
	400	SG03.PX01.400
	600	SG03.PX01.600
Foil	200	SG03.FAB1a9.200
	400	SG03.FAB1a9.400
	600	SG03.FAB1a9.600



Use foot protection (ASR A1.3)

Material	Ø/mm	Item number
Hard-PVC	200	SG05.PX01.200
	400	SG05.PX01.400
	600	SG05.PX01.600
Foil	200	SG05.FAB1a9.200
	400	SG05.FAB1a9.400
	600	SG05.FAB1a9.600



Other sizes, colors, motifs or individually printed? - we will be happy to advise you!

Safety signs for the floor

More safety with our floor signs



Safety signs for passageways and important areas

- | Extra high luminance 200/25 mcd/m² (10min/60min) according to DIN 67510 (class C)
- | Slip resistance R9
- | The right variant for every requirement, customizable on request
- | Quick installation, good durability and extremely wear-resistant
- | Suitable for smooth indoor floors

Material: Hard PVC

Material thickness: 0.9 mm

Slip class: R9

Adhesive: permanent acrylic adhesive

Area of application: indoor

Property: extremely wear-resistant

Material: foil

Material thickness: 0.3 mm

Slip class: R9

Adhesive: permanent acrylic adhesive

Area of application: Indoor

Material: Hard PVC photoluminescent

Material thickness: 1.4 mm

Slip class: R9

Adhesive: permanent acrylic adhesive

Area of application: Indoor

Property: extremely wear-resistant

Material: Photoluminescent foil

Material thickness: 0.6 mm

Slip class: R9

Adhesive: permanent acrylic adhesive

Area of application: Indoor


Do you have a difficult surface or require a different material composition?
Other designs on request - we will advise you on the right material!



Fire extinguisher - semicircle*

Motif number | **SH01**


Warning of lift truck - semicircle

Motif number | **SH09**

Escape route - semicircle*

Motif number | **SH03**

Warning sign - semicircle

Motif number | **SH08**


Warning of voltage - semicircle

Motif number | **SH07**

Escape route additional text - semicircle

Motif number | **SH13**

Access forbidden - semicircle

Motif number | **SH05**

Parking prohibited - semicircle

Motif number | **SH06**

Fire detector - semicircle*

Motif number | **SH02**

Eye and foot protection - semicircle

Motif number | **SH10**

Use eye protection - semicircle

Motif number | **SH11**

Use foot protection - semicircle

Motif number | **SH12**

Include the motif number with the item number for the appropriate material: **SH01.PX01.750** (Example for "Fire extinguisher" - PVC 750 x 375 mm)

Material	Height x width	Item number
Hard PVC	750 x 375 mm	----.PX01.750
	900 x 450 mm	----.PX01.900
Hard PVC	750 x 375 mm	----.FN1x3.750
photoluminescent	900 x 450 mm	----.FN1x3.900

* available in photoluminescent!

Material	Height x width	Item number
Foil	750 x 375 mm	----.FAB1a9.750
	900 x 450 mm	----.FAB1a9.900
Foil	750 x 375 mm	----.FN1a3.750
photoluminescent	900 x 450 mm	----.FN1a3.900

* available in photoluminescent!

Simply contact our sales team for quarter circles!
We look forward to offer you the perfect product.



Floor Signs - outdoor

For self-adhesive marking of parking spaces



Ground signs - Outdoor

Signs that are strongly connected to the ground

- | Quick and easy bonding
- | Wear-resistant and highly durable
- | Very good ground adhesion
- | Suitable for concrete paving and asphalt

Material: PVC

Material thickness: 1.3 mm

Surface: matt textured

Slip resistance: anti-slip surface

Adhesive: permanent butyl adhesive

Application: outdoor



Primer No. 5

- | Primer No. 5 increases the adhesive strength of a tape on critical surfaces
- | Always necessary in outdoor areas!



250 ml (0.75 m²)	1000 ml (3 m²)
3051.25.250	3051.25.1000

Pressure roller

- | Professional pressure roller for laying self-adhesive markings



Variant short (1)	Variant long (2)
8002.11.032	8002.00.921

Edge sealing


- | For sealing edges
- | Prevents the penetration of moisture



Content: 120 ml for approx. 10-15 m

120 ml
6090.20.120-1A

Laying instructions: In outdoor areas, prime the substrate with Primer No. 5 and seal the edges with edge seal.



Charging station 1 – white

Height x width	Item number
400 x 400 mm	5415.08.1.04.B400
600 x 600 mm	5415.08.1.04.B600
800 x 800 mm	5415.08.1.04.B800




Charging station 2 – white

Height x width	Item number
400 x 400 mm	5415.08.1.01.B400
600 x 600 mm	5415.08.1.01.B600
800 x 800 mm	5415.08.1.01.B800



Parking space P – white

Height x width	Item number
400 x 400 mm	5415.08.1.06.B400
600 x 600 mm	5415.08.1.06.B600
800 x 800 mm	5415.08.1.06.B800



No stopping – white

Height x width	Item number
400 x 400 mm	5415.08.1.07.B400
600 x 600 mm	5415.08.1.07.B600
800 x 800 mm	5415.08.1.07.B800



Charging station 1 – blue

Height x width	Item number
400 x 400 mm	5415.10.1.04.B400
600 x 600 mm	5415.10.1.04.B600
800 x 800 mm	5415.10.1.04.B800



Charging station 2 – blue

Height x width	Item number
400 x 400 mm	5415.10.1.01.B400
600 x 600 mm	5415.10.1.01.B600
800 x 800 mm	5415.10.1.01.B800



Parking space P – blue

Height x width	Item number
400 x 400 mm	5415.10.1.06.B400
600 x 600 mm	5415.10.1.06.B600
800 x 800 mm	5415.10.1.06.B800



No stopping – blue

Height x width	Item number
400 x 400 mm	5415.10.1.07.B400
600 x 600 mm	5415.10.1.07.B600
800 x 800 mm	5415.10.1.07.B800



Bicycle – white

Height x width	Item number
400 x 400 mm	5415.08.1.05.B400
600 x 600 mm	5415.08.1.05.B600
800 x 800 mm	5415.08.1.05.B800



Family – white

Height x width	Item number
400 x 400 mm	5415.08.1.03.B400
600 x 600 mm	5415.08.1.03.B600
800 x 800 mm	5415.08.1.03.B800



Wheelchair users – white

Height x width	Item number
400 x 400 mm	5415.08.1.02.B400
600 x 600 mm	5415.08.1.02.B600
800 x 800 mm	5415.08.1.02.B800



Text and picto as desired – white

Height x width	Item number
400 x 400 mm	5415.08.1.99.B400
600 x 600 mm	5415.08.1.99.B600
800 x 800 mm	5415.08.1.99.B800



Bicycle – blue

Height x width	Item number
400 x 400 mm	5415.10.1.05.B400
600 x 600 mm	5415.10.1.05.B600
800 x 800 mm	5415.10.1.05.B800




Family – blue

Height x width	Item number
400 x 400 mm	5415.10.1.03.B400
600 x 600 mm	5415.10.1.03.B600
800 x 800 mm	5415.10.1.03.B800



Wheelchair users – blue

Height x width	Item number
400 x 400 mm	5415.10.1.02.B400
600 x 600 mm	5415.10.1.02.B600
800 x 800 mm	5415.10.1.02.B800



Text and picto as desired – blue

Height x width	Item number
400 x 400 mm	5415.10.1.99.B400
600 x 600 mm	5415.10.1.99.B600
800 x 800 mm	5415.10.1.99.B800

Other sizes, colours, motifs or individually printed for you - we are happy to advise you!

Optical Tracking

For driverless vehicles AGV's



Optical tracking tape / WT-5128

This tape brings your goods to their destination

- | Fast bonding of track
- | Wear-resistant and high resistance with permanent load
- | Ideal for expanding and replacing existing route systems

Material: PVC

Material thickness: 0.6 mm

Surface: slightly glossy


Adhesive: permanent acrylic adhesive

Application area: smooth indoor grounds

Individual widths, colors
or coding possible!



Create your own individual route network:



Tapewidth 100 mm or 160 mm

Standard track widths



Straight

Width x Length	Item number
100 mm (35/30/35) x 25 m	5128.87.100-30/25
160 mm (71/18/71) / 25 m	5128.87.160-18/25



Y Switch left 45°

Width / Radius	Item number
100 mm (35/30/35) / 600 mm	5128.87.100-30/YL06
100 mm (35/30/35) / 1000 mm	5128.87.100-30/YL10
160 mm (71/18/71) / 600 mm	5128.87.160-18/YL06
160 mm (71/18/71) / 1000 mm	5128.87.160-18/YL10



Y Switch right 45°

Width / Radius	Item number
100 mm (35/30/35) / 600 mm	5128.87.100-30/YR06
100 mm (35/30/35) / 1000 mm	5128.87.100-30/YR10
160 mm (71/18/71) / 600 mm	5128.87.160-18/YR06
160 mm (71/18/71) / 1000 mm	5128.87.160-18/YR10



Curve 22.5°

Width / Radius	Item number
100 mm (35/30/35) / 600 mm	5128.87.100-30/C06*1
100 mm (35/30/35) / 1000 mm	5128.87.100-30/C10*1
160 mm (71/18/71) / 600 mm	5128.87.160-18/C06*1
160 mm (71/18/71) / 1000 mm	5128.87.160-18/C10*1




Curve 45°

Width / Radius	Item number
100 mm (35/30/35) / 600 mm	5128.87.100-30/C06
100 mm (35/30/35) / 1000 mm	5128.87.100-30/C10
160 mm (71/18/71) / 600 mm	5128.87.160-18/C06
160 mm (71/18/71) / 1000 mm	5128.87.160-18/C10




Curve 90°

Width / Radius	Item number
100 mm (35/30/35) / 600 mm	5128.87.100-30/C06*2
100 mm (35/30/35) / 1000 mm	5128.87.100-30/C10*2
160 mm (71/18/71) / 600 mm	5128.87.160-18/C06*2
160 mm (71/18/71) / 1000 mm	5128.87.160-18/C10*2




V Switch 45°

Width / Radius	Item number
100 mm (35/30/35) / 600 mm	5128.87.100-30/V06
100 mm (35/30/35) / 1000 mm	5128.87.100-30/V10
160 mm (71/18/71) / 600 mm	5128.87.160-18/V06
160 mm (71/18/71) / 1000 mm	5128.87.160-18/V10



W Switch 45°

Width / Radius	Item number
100 mm (35/30/35) / 600 mm	5128.87.100-30/W06
100 mm (35/30/35) / 1000 mm	5128.87.100-30/W10
160 mm (71/18/71) / 600 mm	5128.87.160-18/W06
160 mm (71/18/71) / 1000 mm	5128.87.160-18/W10



Cross


Width	Item number
100 mm (35/30/35)	5128.87.100-30/+
160 mm (71/18/71)	5128.87.160-18/+

Magnetic tracking tape / WT-9228

This tape will keep you on the right track

- Fast bonding of track nets
- Insensitive to dirt and unfavourable light conditions
- High flexibility and low costs for driving course changes
- Polarity and adhesion as required

Different curve elements:







ANTI-SLIP SOLUTIONS

I ANTI-SLIP TAPES

I STAIR NOSING PROFILES

Anti-slip solutions

Prevent slipping and falling accidents safely



i Floor coverings are subdivided into 5 groups, coverings with group R9 meet the lowest requirements for anti-slip properties and those with group R13 meet the highest requirements for anti-slip properties. [ASR A1.5/1,2](#)



Group R11
increased static friction coefficient
non-slip up to 19° - 27° inclination
e.g. vehicle repair, beverage filling



Group R9
low friction coefficient
non-slip up to 3° - 10° inclination
e.g. stairs, entrance area



Group R10
normal coefficient of static friction
non-slip up to 10° - 19° inclination
e.g. sanitary rooms



Group R12
high coefficient of static friction
non-slip up to 27° - 35° inclination
e.g. cold storage rooms, wastewater treatment plants



Group R13
very high coefficient of static friction
non-slip up to inclination > 35°
e.g. flow-through tank

Anti-slip tape – medium | WT-5411

The self-adhesive tape for versatile use

- Large variety of colours and individual widths possible
- Slip resistance R13
- For medium to high loads
- Suitable for smooth floors indoor and outdoor

Material: mineral granulation embedded in synthetic resin

Material thickness: 0.9 mm ± 0.1 mm

Surface: medium

Slip class: R13

Adhesive: permanent acrylic adhesive

Application area: indoor and **weather-protected** outdoor area



Colour	25 mm x 6 m	25 mm x 18 m	50 mm x 6 m	50 mm x 18 m	75 mm x 6 m	75 mm x 18 m	100 mm x 6 m	100 mm x 18 m
yellow	5411.04.1025	5411.04.0025	5411.04.1050	5411.04.0050	5411.04.1075	5411.04.0075	5411.04.1100	5411.04.0100
yellow public	5411.47.1025	5411.47.0025	5411.47.1050	5411.47.0050	5411.47.1075	5411.47.0075	5411.47.1100	5411.47.0100
black	5411.07.1025	5411.07.0025	5411.07.1050	5411.07.0050	5411.07.1075	5411.07.0075	5411.07.1100	5411.07.0100
white	5411.08.1025	5411.08.0025	5411.08.1050	5411.08.0050	5411.08.1075	5411.08.0075	5411.08.1100	5411.08.0100
blue	5411.10.1025	5411.10.0025	5411.10.1050	5411.10.0050	5411.10.1075	5411.10.0075	5411.10.1100	5411.10.0100
light blue	5411.03.1025	5411.03.0025	5411.03.1050	5411.03.0050	5411.03.1075	5411.03.0075	5411.03.1100	5411.03.0100
green	5411.02.1025	5411.02.0025	5411.02.1050	5411.02.0050	5411.02.1075	5411.02.0075	5411.02.1100	5411.02.0100
brown	5411.05.1025	5411.05.0025	5411.05.1050	5411.05.0050	5411.05.1075	5411.05.0075	5411.05.1100	5411.05.0100
red	5411.01.1025	5411.01.0025	5411.01.1050	5411.01.0050	5411.01.1075	5411.01.0075	5411.01.1100	5411.01.0100
neon orange	5411.12.1025	5411.12.0025	5411.12.1050	5411.12.0050	5411.12.1075	5411.12.0075	5411.12.1100	5411.12.0100
transparent	5411.09.1025	5411.09.0025	5411.09.1050	5411.09.0050	5411.09.1075	5411.09.0075	5411.09.1100	5411.09.0100
photoluminescent	5416.04.1025	5416.04.0025	5416.04.1050	5416.04.0050	5416.04.1075	5416.04.0075	5416.04.1100	5416.04.0100
grey	5411.06.1025	5411.06.0025	5411.06.1050	5411.06.0050	5411.06.1075	5411.06.0075	5411.06.1100	5411.06.0100
yellow/black	5411.17.1025	5411.17.0025	5411.17.1050	5411.17.0050	5411.17.1075	5411.17.0075	5411.17.1100	5411.17.0100

Laying instructions: outdoors, pre-treat the substrate with Primer No. 5

Anti-slip tape – adaptable / WT-5414

The malleable tape with rough grit

- Slip resistance R13
- Particularly for uneven surfaces
- Adapts to the profile of the substrate
- Suitable for indoors and outdoors

Material: aluminum foil


Material thickness: 0.78 mm

Surface: rough

Slip class: R13

Adhesive: permanent acrylic adhesive

Application area: indoor and weather-protected outdoor area



Colour		25 mm x 6 m	25 mm x 18 m	50 mm x 6 m	50 mm x 18 m
yellow		5414.04.1025	5414.04.0025	5414.04.1050	5414.04.0050
yellow/black		5414.17.1025	5414.17.0025	5414.17.1050	5414.17.0050
black		5414.07.1025	5414.07.0025	5414.07.1050	5414.07.0050

Laying instructions: outside, pre-treat the substrate with Primer No. 5

Anti-slip tape – rough / WT-5412

The self-adhesive tape with rough grit

- Slip resistance R13
- Ideal for high pedestrian frequency or coarse soiling
- Suitable for smooth grounds indoors and outdoors

Material: mineral granulation embedded in synthetic resin


Material thickness: 1.5 mm ± 0.1 mm

Surface: rough

Slip class: R13

Adhesive: permanent acrylic adhesive

Application area: indoor and weather-protected outdoor area



Colour		25 mm x 6 m	25 mm x 18 m	50 mm x 6 m	50 mm x 18 m	75 mm x 6 m	75 mm x 18 m	100 mm x 6 m	100 mm x 18 m
yellow		5412.04.1025	5412.04.0025	5412.04.1050	5412.04.0050	5412.04.1075	5412.04.0075	5412.04.1100	5412.04.0100
black		5412.07.1025	5412.07.0025	5412.07.1050	5412.07.0050	5412.07.1075	5412.07.0075	5412.07.1100	5412.07.0100

Laying instructions: outside, pre-treat the substrate with Primer No. 5

Primer Nr. 5

- Primer No. 5 increases the adhesive strength of a tape on critical surfaces
- ALWAYS required for outdoor use!



250 ml (0.75 m²)	1000 ml (3 m²)
3051.25.250	3051.25.1000

Edge sealing

- For sealing of edges
- Prevents penetration of moisture

Content: 120 ml for approx. 10-15 m

120 ml
6090.20.120-1A



Stair nosing profiles

The resilient solution for your stairs




THIN LINE Plate with anti-slip coating | WT-5408

Stepping surface 100 mm

- | Slip resistance R10 or R13
- | Wear-resistant and slip-proof, even for high frequencies
- | Screwable or self-adhesive
- | For difficult, uneven, porous or dirty surfaces
- | Suitable for indoor areas

Material: aluminium composite
Colour: silver
Drill: yes, concealed $\varnothing$ 5 mm
Installation: screwable or selfadhesive
Design: 100 mm wide
Delivery: self-adhesive
Individual length: on request



Surface Medium R13					Surface Soft R10		
Nr.	Colour	Length 600 mm	Length 800 mm	Length 1000 mm	Length 600 mm	Length 800 mm	Length 1000 mm
01	black	5408.07.100-600	5408.07.100-800	5408.07.100-1000	5408.2.07.100-600	5408.2.07.100-800	5408.2.07.100-1000
02	yellow/black	5408.17.100-600	5408.17.100-800	5408.17.100-1000	5408.2.17.100-600	5408.2.17.100-800	5408.2.17.100-1000
03	public	5408.47.100-600	5408.47.100-800	5408.47.100-1000	-	-	-
04	yellow	-	-	-	5408.2.04.100-600	5408.2.04.100-800	5408.2.04.100-1000
05	photoluminescent/black	5408.17FN.100-600	5408.17FN.100-800	5408.17FN.100-1000	5408.2.17FN.100-600	5408.2.17FN.100-800	5408.2.17FN.100-1000

THIN LINE Anti-slip stair nosing profile / WT-5409

Stepping surface 50 mm

- Slip resistance R10 or R13
- Wear-resistant and slip-proof, even for high frequencies
- Firm hold by screwing the profiles
- For difficult, uneven, porous or dirty surfaces
- Suitable for indoor use on stairs, ramps, landings, ladders, etc.

Material: aluminium composite

Colour: silver


Drill: yes, concealed $\varnothing$ 5 mm

Installation: screwable or self-adhesive

Design: narrow and wide

Delivery: self-adhesive

Individual length: on request



Surface **Medium R13**


Nr.	Colour	Length 600 mm	Length 800 mm	Length 1000 mm
01	black	5409.07.050-600	5409.07.050-800	5409.07.050-1000
02	yellow/black	5409.17.050-600	5409.17.050-800	5409.17.050-1000
03	public	5409.47.050-600	5409.47.050-800	5409.47.050-1000
04	yellow	-	-	-
05	photoluminescent/black	5409.17FN.050-600	5409.17FN.050-800	5409.17FN.050-1000
06	black & photoluminescent	5409.7297.050-600	5409.7297.050-800	5409.7297.050-1000
07	black & photoluminescent	5409.729.050-600	5409.729.050-800	5409.729.050-1000
08	black & yellow	5409.0704.050-600	5409.0704.050-800	5409.0704.050-1000

Surface **Soft R10 (only for indoor use)**

Length 600 mm	Length 800 mm	Length 1000 mm
5409.2.07.050-600	5409.2.07.050-800	5409.2.07.050-1000
5409.2.17.050-600	5409.2.17.050-800	5409.2.17.050-1000
-	-	-
5409.2.04.050-600	5409.2.04.050-800	5409.2.04.050-1000
5409.2.17FN.050-600	5409.2.17FN.050-800	5409.2.17FN.050-1000
5409.2.7297.050-600	5409.2.7297.050-800	5409.2.7297.050-1000
5409.2.729.050-600	5409.2.729.050-800	5409.2.729.050-1000
5409.2.0704.050-600	5409.2.0704.050-800	5409.2.0704.050-1000

THIN LINE Anti-slip stair nosing profile / WT-5409

Stepping surface 100 mm



Surface **Medium R13**

Nr.	Colour	Length 600 mm	Length 800 mm	Length 1000 mm
01	black	5409.07.100-600	5409.07.100-800	5409.07.100-1000
02	yellow/black	5409.17.100-600	5409.17.100-800	5409.17.100-1000
03	yellow	-	-	-
04	public	5409.47.100-600	5409.47.100-800	5409.47.100-1000
05	photoluminescent/black	5409.17FN.100-600	5409.17FN.100-800	5409.17FN.100-1000
06	black & photoluminescent	5409.7297.100-600	5409.7297.100-800	5409.7297.100-1000
07	black & photoluminescent	5409.729.100-600	5409.729.100-800	5409.729.100-1000
08	black & yellow	5409.0704.100-600	5409.0704.100-800	5409.0704.100-1000
09	black & yellow	5409.74.100-600	5409.74.100-800	5409.74.100-1000

Surface **Soft R10 (only for indoor use)**

Length 600 mm	Length 800 mm	Length 1000 mm
5409.2.07.100-600	5409.2.07.100-800	5409.2.07.100-1000
5409.2.17.100-600	5409.2.17.100-800	5409.2.17.100-1000
5409.2.04.100-600	5409.2.04.100-800	5409.2.04.100-1000
-	-	-
5409.2.17FN.100-600	5409.2.17FN.100-800	5409.2.17FN.100-1000
5409.2.7297.100-600	5409.2.7297.100-800	5409.2.7297.100-1000
5409.2.729.100-600	5409.2.729.100-800	5409.2.729.100-1000
5409.2.0704.100-600	5409.2.0704.100-800	5409.2.0704.100-1000
5409.2.74.100-600	5409.2.74.100-800	5409.2.74.100-1000

GENERAL LINE Anti-slip stair nosing profile | WT-5407

Stepping surface 90 mm

- Anti-slip class R10 or R13
- Indoor and outdoor applications
- Wear-resistant and slip-proof, even for high frequencies
- Individual anti-slip insert according to your request

Material: aluminium

Colour: silver anodised



Drill: countersunk $\varnothing$ 5.5 mm

Installation: screwable

Design: narrow and wide

Delivery: incl. screws and dowels

Individual length: on request



Surface **Medium** R13



Nr.	Colour	Length 600 mm	Length 800 mm	Length 1000 mm
01	black	5407.07.090-600	5407.07.090-800	5407.07.090-1000
02	yellow/black	5407.17.090-600	5407.17.090-800	5407.17.090-1000
03	public	5407.47.090-600	5407.47.090-800	5407.47.090-1000
04	yellow	-	-	-
05	photoluminescent/black	5407.17FN.090-600	5407.17FN.090-800	5407.17FN.090-1000
06	black & yellow	5407.0704.090-600	5407.0704.090-800	5407.0704.090-1000
07	grey	5407.06.090-600	5407.06.090-800	5407.06.090-1000

Surface **Soft** R10 (only for indoor use)

Length 600 mm	Length 800 mm	Length 1000 mm
5407.2.07.090-600	5407.2.07.090-800	5407.2.07.090-1000
5407.2.17.090-600	5407.2.17.090-800	5407.2.17.090-1000
-	-	-
5407.2.04.090-600	5407.2.04.090-800	5407.2.04.090-1000
5407.2.17FN.090-600	5407.2.17FN.090-800	5407.2.17FN.090-1000
5407.2.0704.090-600	5407.2.0704.090-800	5407.2.0704.090-1000
5407.2.06.090-600	5407.2.06.090-800	5407.2.06.090-1000

GENERAL LINE Anti-slip stair nosing profile | WT-5407

Stepping surface 120 mm



Surface **Medium** R13

Nr.	Colour	Length 600 mm	Length 800 mm	Length 1000 mm
01	black	5407.07.120-600	5407.07.120-800	5407.07.120-1000
02	black & photoluminescent photoluminescent	5407.729.120-600	5407.729.120-800	5407.729.120-1000
03	black & photoluminescent black	5407.7297.120-600	5407.7297.120-800	5407.7297.120-1000
04	black & yellow black	5407.747.120-600	5407.747.120-800	5407.747.120-1000
05	black & yellow yellow	5407.74.120-600	5407.74.120-800	5407.74.120-1000

Surface **Soft** R10 (only for indoor use)

Length 600 mm	Length 800 mm	Length 1000 mm
5407.2.07.120-600	5407.2.07.120-800	5407.2.07.120-1000
5407.2.729.120-600	5407.2.729.120-800	5407.2.729.120-1000
5407.2.7297.120-600	5407.2.7297.120-800	5407.2.7297.120-1000
5407.2.747.120-600	5407.2.747.120-800	5407.2.747.120-1000
5407.2.74.120-600	5407.2.74.120-800	5407.2.74.120-1000



EXTREM LINE Anti-slip stair nosing profile / WT-5406

Stepping surface 70 mm

- Slip resistance R13
- Suitable for indoor and outdoor use
- Extremely wear-resistant and slip-resistant, even with intensive use
- Flame-retardant and corrosion-free
- Particularly suitable for outdoor areas

Material: glass-reinforced special plastic



Colour: yellow or black

Drill hole: not pre-drilled

Mounting: can be glued and screwed

Design: narrow and wide

Special lengths: no




Surface **Strong** R13

Nr.	Colour	Length 800 mm	Length 1000 mm
01	black	5406.07.070-800	5406.07.070-1000
02	yellow	5406.04.070-800	5406.04.070-1000

EXTREM LINE Anti-slip stair nosing profile / WT-5406

Stepping surface 230 mm



Surface Strong R13				
Nr.	Colour	Length 600 mm	Length 800 mm	Length 1000 mm
01	black	5406.07.230-600	5406.07.230-800	5406.07.230-1000
02	yellow & black	5406.74.230-600	5406.74.230-800	5406.74.230-1000





20	21
21	22
22	23
23	24
24	25
25	26
26	27
27	28
28	
29	
30	
31	




SAFETY SIGNS

- | REFLECTIVE MARKING
- | PHOTOLUMINESCENT
- | MARKING
- | ESCAPE ROUTE SIGNS
- | FIRE PROTECTION
- | PROHIBITION SIGNS
- | INFORMATION SIGNS
- | TRAFFIC SIGNS
- | MANDATORY SIGNS
- | WARNING SIGNS

Photoluminescent marking

Ensure more safety in your company



Our standard photoluminescing duration exceeds the ASR requirement.

Photoluminescent 200/25 mcd/m² - Class C

ASR A3.4/7 stipulates a minimum of: 80/12 mcd/m²

Photoluminescent marking | WT-6126

The ideal marking in darkness or heavy smoke

- | Self-adhesive guide mark for wall and floor
- | Extra high luminance **200/25 mcd/m² according to DIN 67510 (class C)**
- | Current-independent, maintenance-free and fail-safe
- | The right variant for every requirement

Material: PVC with anti-slip surface

Material thickness: 1.0 mm

Surface: matt

Slip class: R9

Adhesive: permanent acrylic adhesive

Application area: indoor

Minimum luminance

Class	According to 10 minutes	According to 60 minutes
A	23 mcd/m ²	3 mcd/m ²
B	50 mcd/m ²	7 mcd/m ²
C	140 mcd/m ²	20 mcd/m ²
D	260 mcd/m ²	35 mcd/m ²

mcd = Millicandela

Do you have a difficult substrate or require class D luminance?

Further versions available on request—we will advise you on selecting the right material!



Marking tape

Material	Width x length	Item number
PVC	25 mm x 10 m	6126.29.025
	50 mm x 10 m	6126.29.050
	75 mm x 10 m	6126.29.075



Marking tape with escape route sign left

Material	Width x length	Item number
PVC	25 mm x 10 m	6126.3-Li.B25
	50 mm x 10 m	6126.3-Li.B50
	75 mm x 10 m	6126.3-Li.B75



Marking tape with escape route sign right

Material	Width x length	Item number
PVC	25 mm x 10 m	6126.3-Re.B25
	50 mm x 10 m	6126.3-Re.B50
	75 mm x 10 m	6126.3-Re.B75



Marking tape with direction arrow green

Material	Width x length	Item number
PVC	25 mm x 10 m	6126.1-02.B25
	50 mm x 10 m	6126.1-02.B50
	75 mm x 10 m	6126.1-02.B75



Marking tape green striped

Material	Width x length	Item number
PVC	25 mm x 10 m	6126.1.19.B25
	50 mm x 10 m	6126.1.19.B50
	75 mm x 10 m	6126.1.19.B75



Marking tape with direction indication green

Material	Width x length	Item number
PVC	25 mm x 10 m	6126.2-02.B25
	50 mm x 10 m	6126.2-02.B50
	75 mm x 10 m	6126.2-02.B75



Marking tape with direction arrow black

Material	Width x length	Item number
PVC	25 mm x 10 m	6126.1-07.B25
	50 mm x 10 m	6126.1-07.B50
	75 mm x 10 m	6126.1-07.B75



Marking tape black striped

Material	Width x length	Item number
PVC	25 mm x 10 m	6126.1.17.B25
	50 mm x 10 m	6126.1.17.B50
	75 mm x 10 m	6126.1.17.B75




Marking tape with direction indication black

Material	Width x length	Item number
PVC	25 mm x 10 m	6126.2-07.B25
	50 mm x 10 m	6126.2-07.B50
	75 mm x 10 m	6126.2-07.B75



Stair markers

Material	Width x length	Item number
PVC	37 mm x 160 mm	6126.Wi11.37-L
	47 mm x 160 mm	6126.Wi11.47-L



Round

Material	Size Ø	Item number
PVC	75 mm	6126.L73-75
	100 mm	6126.L73-100



Arrows

Material	Width x length	Item number
PVC	90 mm x 145 mm	6126.00.003

ESCAPE SIGNS

Ensure more safety



i Escape routes must be equipped with photoluminescent escape signs in accordance with **ASR A1.3** as per **EN ISO 7010** in accordance with **DIN 67510-1, class C**, if no safety lighting is available

Escape route signs

Suitable for flat mounting on walls

Photoluminescent according to DIN 67510-1, class C

Make escape routes visible in accordance with EN ISO 7010




Emergency exit left (ASR A1.3)

Material	Width x length	Item number
Folie	150 x 300 mm	SR41.FN81.150
lumin.	200 x 400 mm	SR41.FN81.200
Plastic	150 x 300 mm	SR41.PEN90.150
1mm lumin.	200 x 400 mm	SR41.PEN90.200



Emergency exit right (ASR A1.3)

Material	Width x length	Item number
Folie	150 x 300 mm	SR44.FN81.150
lumin.	200 x 400 mm	SR44.FN81.200
Plastic	150 x 300 mm	SR44.PEN90.150
1mm lumin.	200 x 400 mm	SR44.PEN90.200



Emergency exit straight ahead, the door, upwards (ASR A1.3)

Material	Width x length	Item number
Folie	150 x 300 mm	SR40.FN81.150
lumin.	200 x 400 mm	SR40.FN81.200
Plastic	150 x 300 mm	SR40.PEN90.150
1mm lumin.	200 x 400 mm	SR40.PEN90.200



Emergency exit left upwards (ASR A1.3)

Material	Width x length	Item number
Foil	150 x 300 mm	SR42.FN81.150
lumin.	200 x 400 mm	SR42.FN81.200
Plastic	150 x 300 mm	SR42.PEN90.150
1mm lumin.	200 x 400 mm	SR42.PEN90.200



Emergency exit right upwards (ASR A1.3)

Material	Width x length	Item number
Foil	150 x 300 mm	SR47.FN81.150
lumin.	200 x 400 mm	SR47.FN81.200
Plastic	150 x 300 mm	SR47.PEN90.150
1mm lumin.	200 x 400 mm	SR47.PEN90.200



Emergency exit downwards (ASR A1.3)

Material	Width x length	Item number
Foil	150 x 300 mm	SR43.FN81.150
lumin.	200 x 400 mm	SR43.FN81.200
Plastic	150 x 300 mm	SR43.PEN90.150
1mm lumin.	200 x 400 mm	SR43.PEN90.200



Emergency exit left downwards (ASR A1.3)

Material	Width x length	Item number
Foil	150 x 300 mm	SR45.FN81.150
lumin.	200 x 400 mm	SR45.FN81.200
Plastic	150 x 300 mm	SR45.PEN90.150
1mm lumin.	200 x 400 mm	SR45.PEN90.200



Emergency exit right downwards (ASR A1.3)

Material	Width x length	Item number
Foil	150 x 300 mm	SR46.FN81.150
lumin.	200 x 400 mm	SR46.FN81.200
Plastic	150 x 300 mm	SR46.PEN90.150
1mm lumin.	200 x 400 mm	SR46.PEN90.200

Material: Photoluminescent foil 0.7 mm
Surface: glossy
Assembly: self-adhesive
Application area: for smooth and gapfree surfaces, indoor

Material: Photoluminescent plastic 1.7 mm
Surface: glossy
Assembly: with self-adhesive or screw-in accessories
Application area: for uneven surfaces

Flag signs

For a larger field of vision



Emergency exit left (ASR A1.3)

Material	Width x length	Item number
Plastic	150 x 300 mm	SR41.PENH90.150-300
1mm lumin.	200 x 400 mm	SR41.PENH90.200-400



Emergency exit left upwards (ASR A1.3)

Material	Width x length	Item number
Plastic	150 x 300 mm	SR42.PENH90.150-300
1mm lumin.	200 x 400 mm	SR42.PENH90.200-400



Emergency exit left downwards (ASR A1.3)

Material	Width x length	Item number
Plastic	150 x 300 mm	SR45.PENH90.150-300
1mm lumin.	200 x 400 mm	SR45.PENH90.200-400



Emergency exit right (ASR A1.3)

Material	Width x length	Item number
Plastic	150 x 300 mm	SR44.PENH90.150-300
1mm lumin.	200 x 400 mm	SR44.PENH90.200-400



Emergency exit right upwards (ASR A1.3)

Material	Width x length	Item number
Plastic	150 x 300 mm	SR47.PENH90.150-300
1mm lumin.	200 x 400 mm	SR47.PENH90.200-400



Emergency exit right downwards (ASR A1.3)

Material	Width x length	Item number
Plastic	150 x 300 mm	SR46.PENH90.150-300
1mm lumin.	200 x 400 mm	SR46.PENH90.200-400

Ceiling signs

For continuous visibility



Emergency exit left (ASR A1.3)

Material	Width x length	Item number
Plastic	150 x 300 mm	SR41.PENI90.150-300
1mm lumin.	200 x 400 mm	SR41.PENI90.200-400



Emergency exit left upwards (ASR A1.3)

Material	Width x length	Item number
Plastic	150 x 300 mm	SR42.PENI90.150-300
1mm lumin.	200 x 400 mm	SR42.PENI90.200-400



Emergency exit left downwards (ASR A1.3)

Material	Width x length	Item number
Plastic	150 x 300 mm	SR45.PENI90.150-300
1mm lumin.	200 x 400 mm	SR45.PENI90.200-400



Emergency exit downwards (ASR A1.3)

Material	Width x length	Item number
Plastic	150 x 300 mm	SR43.PENI90.150-300
1mm lumin.	200 x 400 mm	SR43.PENI90.200-400



Emergency exit straight ahead, the door, upwards (ASR A1.3)

Material	Width x length	Item number
Plastic	150 x 300 mm	SR40.PENI90.150-300
1mm lumin.	200 x 400 mm	SR40.PENI90.200-400

Material:

Photoluminescent plastic 1.7 mm

Surface: glossy

Structure: motif on both sides

Assembly: with self-adhesive or screw-in accessories


Application area: for wall mounting indoors



Further escape route signs and individual solutions can be found on our website www.1atapes.de or on request.

Escape sign

Suitable for flat mounting on walls



Collection point E007

Material	Width x length	Item number
Foil	150 x 150 mm	SR08.FN81.150
photoluminescent	200 x 200 mm	SR08.FN81.200
Plastic	150 x 150 mm	SR08.PEN90.150
photoluminescent	200 x 200 mm	SR08.PEN90.200



Emergency telephone E004

Material	Width x length	Item number
Foil	150 x 150 mm	SR10.FN81.150
photoluminescent	200 x 200 mm	SR10.FN81.200
Plastic	150 x 150 mm	SR10.PEN90.150
photoluminescent	200 x 200 mm	SR10.PEN90.200




First aid E003

Material	Width x length	Item number
Foil	150 x 150 mm	SR07.FN81.150
photoluminescent	200 x 200 mm	SR07.FN81.200
Plastic	150 x 150 mm	SR07.PEN90.150
photoluminescent	200 x 200 mm	SR07.PEN90.200



Eyewash unit E011

Material	Width x length	Item number
Foil	150 x 150 mm	SR14.FN81.150
photoluminescent	200 x 200 mm	SR14.FN81.200
Plastic	150 x 150 mm	SR14.PEN90.150
photoluminescent	200 x 200 mm	SR14.PEN90.200




Emergency shower E012

Material	Width x length	Item number
Foil	150 x 150 mm	SR13.FN81.150
photoluminescent	200 x 200 mm	SR13.FN81.200
Plastic	150 x 150 mm	SR13.PEN90.150
photoluminescent	200 x 200 mm	SR13.PEN90.200



Stretcher E013

Material	Width x length	Item number
Foil	150 x 150 mm	SR11.FN81.150
photoluminescent	200 x 200 mm	SR11.FN81.200
Plastic	150 x 150 mm	SR11.PEN90.150
photoluminescent	200 x 200 mm	SR11.PEN90.200



Automated external defibrillator E010

Material	Width x length	Item number
Foil	150 x 150 mm	SR22.FN81.150
photoluminescent	200 x 200 mm	SR22.FN81.200
Plastic	150 x 150 mm	SR22.PEN90.150
photoluminescent	200 x 200 mm	SR22.PEN90.200



Rescue exit E017

Material	Width x length	Item number
Foil	150 x 150 mm	SR18.FN81.150
photoluminescent	200 x 200 mm	SR18.FN81.200
Plastic	150 x 150 mm	SR18.PEN90.150
photoluminescent	200 x 200 mm	SR18.PEN90.200



Material: Luminescent foil 0.7 mm

Surface: glossy

Assembly: self-adhesive

Application area: for smooth and gapfree surfaces, indoor

Material: Luminescent plastic 1.7 mm

Surface: glossy

Assembly: with self-adhesive or screw-in accessories

Application area: for uneven surfaces

Flag signs

For a larger field of vision



Collection point E007

Material	Width x length	Item number
Plastic	150 x 150 mm	SR08.PENH90.150-150
1mm lumin.	200 x 200 mm	SR08.PENH90.200-200



Emergency telephone E004

Material	Width x length	Item number
Plastic	150 x 150 mm	SR10.PENH90.150-150
1mm lumin.	200 x 200 mm	SR10.PENH90.200-200



First aid E003

Material	Width x length	Item number
Plastic	150 x 150 mm	SR07.PENH90.150-150
1mm lumin.	200 x 200 mm	SR07.PENH90.200-200



Eyewash unit E011

Material	Width x length	Item number
Plastic	150 x 150 mm	SR14.PENH90.150-150
1mm lumin.	200 x 200 mm	SR14.PENH90.200-200



Emergency shower E012

Material	Width x length	Item number
Plastic	150 x 150 mm	SR13.PENH90.150-150
1mm lumin.	200 x 200 mm	SR13.PENH90.200-200



Stretcher E013

Material	Width x length	Item number
Plastic	150 x 150 mm	SR11.PENH90.150-150
1mm lumin.	200 x 200 mm	SR11.PENH90.200-200

Angle signs

For continuous visibility



Collection point E007

Material	Width x length	Item number
Plastic	150 x 150 mm	SR08.PENG90.150-150
1mm lumin.	200 x 200 mm	SR08.PENG90.200-200



Emergency telephone E004

Material	Width x length	Item number
Plastic	150 x 150 mm	SR10.PENG90.150-150
1mm lumin.	200 x 200 mm	SR10.PENG90.200-200



First aid E003

Material	Width x length	Item number
Plastic	150 x 150 mm	SR07.PENG90.150-150
1mm lumin.	200 x 200 mm	SR07.PENG90.200-200



Eyewash unit E011

Material	Width x length	Item number
Plastic	150 x 150 mm	SR14.PENG90.150-150
1mm lumin.	200 x 200 mm	SR14.PENG90.200-200



Emergency shower E012

Material	Width x length	Item number
Plastic	150 x 150 mm	SR13.PENG90.150-150
1mm lumin.	200 x 200 mm	SR13.PENG90.200-200

Material:

Photoluminescent plastic 1.7 mm

Surface: glossy

Structure: motif on both sides

Assembly: with self-adhesive or screw-in accessories

Application area: for wall mounting indoors



Further escape route signs and individual solutions can be found on our website www.1atapes.de or on request.

Fire protection signs

Ensure more safety



i Fire protection equipment must be equipped with photoluminescent fire protection signs in accordance with **ASR A1.3** as per **EN ISO 7010** in accordance with **DIN 67510-1, class C**, if no safety lighting is available.

Fire protection sign

Suitable for flat mounting on walls



Fire extinguisher F001

Material	Width x length	Item number
Foil	150 x 150 mm	SB01.FN81.150
photoluminescent	200 x 200 mm	SB01.FN81.200
Plastic	150 x 150 mm	SB01.PEN90.150
photoluminescent	200 x 200 mm	SB01.PEN90.200



Fire detector F005

Material	Width x length	Item number
Foil	150 x 150 mm	SB02.FN81.150
photoluminescent	200 x 200 mm	SB02.FN81.200
Plastic	150 x 150 mm	SB02.PEN90.150
photoluminescent	200 x 200 mm	SB02.PEN90.200



Fire alarm telephone F006

Material	Width x length	Item number
Foil	150 x 150 mm	SB03.FN81.150
photoluminescent	200 x 200 mm	SB03.FN81.200
Plastic	150 x 150 mm	SB03.PEN90.150
photoluminescent	200 x 200 mm	SB03.PEN90.200



Fire escape F003

Material	Width x length	Item number
Foil	150 x 150 mm	SB06.FN81.150
photoluminescent	200 x 200 mm	SB06.FN81.200
Plastic	150 x 150 mm	SB06.PEN90.150
photoluminescent	200 x 200 mm	SB06.PEN90.200



Wall hydrant F002

Material	Width x length	Item number
Foil	150 x 150 mm	SB04.FN81.150
photoluminescent	200 x 200 mm	SB04.FN81.200
Plastic	150 x 150 mm	SB04.PEN90.150
photoluminescent	200 x 200 mm	SB04.PEN90.200



Means and equipment for firefighting F004

Material	Width x length	Item number
Foil	150 x 150 mm	SB05.FN81.150
photoluminescent	200 x 200 mm	SB05.FN81.200
Plastic	150 x 150 mm	SB05.PEN90.150
photoluminescent	200 x 200 mm	SB05.PEN90.200



Material: Photoluminescent foil 0.7 mm
Surface: glossy
Assembly: self-adhesive
Application area: for smooth and gap-free surfaces, indoor

Material: Photoluminescent plastic 1.7 mm
Surface: glossy
Assembly: with self-adhesive or screw-in accessories
Application area: for uneven surfaces

Flag signs

For a larger viewing area



Fire extinguisher F001

Material	Width x length	Item number
Plastic	150 x 150 mm	SB01.PENH90.150-150
1mm lumin.	200 x 200 mm	SB01.PENH90.200-200



Fire detector F005

Material	Width x length	Item number
Plastic	150 x 150 mm	SB02.PENH90.150-150
1mm lumin.	200 x 200 mm	SB02.PENH90.200-200



Fire alarm telephone F006

Material	Width x length	Item number
Plastic	150 x 150 mm	SB03.PENH90.150-150
1mm lumin.	200 x 200 mm	SB03.PENH90.200-200



Wall hydrant F002

Material	Width x length	Item number
Plastic	150 x 150 mm	SB04.PENH90.150-150
1mm lumin.	200 x 200 mm	SB04.PENH90.200-200



Fire escape F003

Material	Width x length	Item number
Plastic	150 x 150 mm	SB06.PENH90.150-150
1mm lumin.	200 x 200 mm	SB06.PENH90.200-200



Means and equipment for firefighting F004

Material	Width x length	Item number
Plastic	150 x 150 mm	SB05.PENH90.150-150
1mm lumin.	200 x 200 mm	SB05.PENH90.200-200

Angle signs

For continuous visibility



Fire extinguisher F001

Material	Width x length	Item number
Plastic	150 x 150 mm	SB01.PENG90.150-150
1mm lumin.	200 x 200 mm	SB01.PENG90.200-200



Fire detector F005

Material	Width x length	Item number
Plastic	150 x 150 mm	SB02.PENG90.150-150
1mm lumin.	200 x 200 mm	SB02.PENG90.200-200



Fire alarm telephone F006

Material	Width x length	Item number
Plastic	150 x 150 mm	SB03.PENG90.150-150
1mm lumin.	200 x 200 mm	SB03.PENG90.200-200



Extinguishing hose F002

Material	Width x length	Item number
Plastic	150 x 150 mm	SB04.PENG90.150-150
1mm lumin.	200 x 200 mm	SB04.PENG90.200-200



Fire escape F003

Material	Width x length	Item number
Plastic	150 x 150 mm	SB06.PENG90.150-150
1mm lumin.	200 x 200 mm	SB06.PENG90.200-200

Material:

Plastic photoluminescent 1.7 mm

Surface: glossy

Structure: motif on both sides

Assembly: with self-adhesive or screw-in accessories

Application area: for wall mounting indoors

Further fire protection signs and individual solutions can be found in our online shop at www.1atapes.de or on request.

Fire-resistant door
distribution, adjustment etc.
strictly forbidden!

Do not use lift
in case of fire

Prohibition signs

Ensure more safety in your company



Prohibition signs

- | In accordance with ASR A1.3
- | Labelling of dangerous areas or behaviours to be avoided
- | Suitable for indoor and outdoor use

Material: foil 0.1 mm
Surface: glossy
Assembly:
 self-adhesive
Application area: indoor
 e.g. on doors or machines

Material: Plastic 1.0 mm
Surface: slightly glossy
Assembly:
 with self-adhesive or screw-in accessories
Application area: indoor
 e.g. for indoor wall mounting

Material: aluminium composite 2.0 mm
Surface: glossy
Assembly:
 with self-adhesive or screw-in accessories
Application area: indoor and outdoor
 e.g. for outdoor wall mounting

Individual combination signs

- | Combine prohibition signs and text as required
- | Can be customised according to your requirements
- | Additional materials for other areas of application possible




You can find the matching floor signs on page 28 and additional designs in our online shop.



Prohibited for industrial trucks (ASR A1.3)

Motif number | **SV01**



Deposit or storage of items strictly forbidden (ASR A1.3)

Motif number | **SV02**



Depositing pallets prohibited (tried in practice)

Motif number | **SV28**



Pedestrians prohibited (ASR A1.3)

Motif number | **SV03**



No admission for unauthorised person (ASR A1.3)

Motif number | **SV06**



No smoking (ASR A1.3)

Motif number | **SV04**



No open flame; fire open ignition source and no smoking (ASR A1.3)

Motif number | **SV05**



Extinguishing with water prohibited (ASR A1.3)

Motif number | **SV13**



Passenger transport prohibited (ASR A1.3)

Motif number | **SV25**



Do not use lift in case of fire (ASR A1.3)

Motif number | **SV32**



Eating and drinking prohibited (ASR A1.3)

Motif number | **SV23**



Not drinking water (ASR A1.3)

Motif number | **SV22**



Spraying with water prohibited (ASR A1.3)

Motif number | **SV21**



Entering the area prohibited (ASR A1.3)

Motif number | **SV14**



Use of gloves prohibited (ASR A1.3)

Motif number | **SV07**



Switched on mobile phones prohibited (ASR A1.3)

Motif number | **SV20**



Non-heavy load (ASR A1.3)

Motif number | **SV10**



Switching prohibited (ASR A1.3)

Motif number | **SV12**



Do not climb (tried in practice)

Motif number | **SV16**



Do not climb (ASR A1.3)

Motif number | **SV11**



No access for persons with pacemakers or implants. Defibrillators (ASR A1.3)

Motif number | **SV26**



Prohibited for persons with metal implants (ASR A1.3)

Motif number | **SV27**



Do not reach inside (ASR A1.3)

Motif number | **SV08**



Do not touch (ASR A1.3)

Motif number | **SV09**



General prohibition signs (ASR A1.3)

Motif number | **SV31**

Include the motif number with the item number for the appropriate material: **SV22.FAB99.100** (Example for "Not drinking water" - foil 100 mm)

Material	Ø in mm	Item number
Foil	75 mm	----FAB99.075
	100 mm	----FAB99.100
	200 mm	----FAB99.200

Material	Ø in mm	Item number
Plastic 1 mm	100 mm	----PE00.100
	200 mm	----PE00.200
	400 mm	----PE00.400

Material	Ø in mm	Item number
Aluminium composite 2 mm	200 mm	----DA90.200
	400 mm	----DA90.400
	600 mm	----DA90.600

Mandatory signs

Ensure more safety in your company



Mandatory signs

- | In accordance with ASR A1.3
- | Labelling of the protective equipment to be worn as well as security measures
- | Suitable for indoor and outdoor use

Material: foil 0.1 mm

Surface: glossy

Assembly: self-adhesive

Application area: indoor
e.g. on doors or machines

Material: plastic 1.0 mm

Surface: slightly glossy

Assembly:
with self-adhesive or screw-in accessories

Application area: indoor
e.g. for indoor wall mounting

Material: aluminium composite 2.0 mm

Surface: glossy

Assembly:
with self-adhesive or screw-in accessories

Application area: indoor and outdoor
e.g. for outdoor wall mounting

Individual combination signs

- | Combine Mandatory signs and text as required
- | Can be customised according to your requirements
- | Additional materials for other areas of application possible



You can find the matching floor signs on page 28 and additional designs in our online shop.



General mandatory signs (ASR A1.3)

Motif number | **SG17**



Use pedestrian walkway (ASR A1.3)

Motif number | **SG16**



Use ear protection (ASR A1.3)

Motif number | **SG02**



Use protective gloves (ASR A1.3)

Motif number | **SG04**



Wear safety footwear (ASR A1.3)

Motif number | **SG05**



Wear a safety hat (ASR A1.3)

Motif number | **SG03**



Use safety mask (ASR A1.3)

Motif number | **SG10**



Use eye protection (ASR A1.3)

Motif number | **SG01**



Wear dust mask (ASR A1.3)

Motif number | **SG26**



Wear protective clothing (ASR A1.3)

Motif number | **SG09**



Use skin protection (ASR A1.3)

Motif number | **SG13**



Wash hands (ASR A1.3)

Motif number | **SG14**



Wear protective apron (ASR A1.3)

Motif number | **SG08**



Wear high visibility vest (ASR A1.3)

Motif number | **SG06**



Read operating instructions (ASR A1.3)

Motif number | **SG36**

Include the motif number with the item number for the appropriate material: **SG04.FAB99.100** (Example for "Use protective gloves" - foil 100 mm)

Material	Ø in mm	Item number
Foil	75 mm	----FAB99.075
	100 mm	----FAB99.100
	200 mm	----FAB99.200

Material	Ø in mm	Item number
Plastic 1 mm	100 mm	----PE00.100
	200 mm	----PE00.200
	400 mm	----PE00.400

Material	Ø in mm	Item number
Aluminium composite 2 mm	200 mm	----DA90.200
	400 mm	----DA90.400
	600 mm	----DA90.600

Warning signs

Ensure more safety in your company



Warning signs

- | In accordance with ASR A1.3
- | Labelling of obstacles and danger zones
- | Suitable for indoor and outdoor use

Material: foil 0.1 mm
Surface: glossy
Assembly: self-adhesive
Application area: indoor
 e.g. on doors or machines

Material: plastic 1.0 mm
Surface: slightly glossy
Assembly:
 with self-adhesive or screw-in accessories
Application area: indoor
 e.g. for indoor wall mounting

Material: aluminium composite 2.0 mm
Surface: glossy
Assembly:
 with self-adhesive or screw-in accessories
Application area: indoor and outdoor
 e.g. for outdoor wall mounting

Individual combination signs

- | Combine Warning signs and text as required
- | Can be customised according to your requirements
- | Additional materials for other areas of application possible



You can find the matching floor signs on page 28 and additional designs in our online shop.



General warning sign
(ASR A1.3)

Motif number | **SW01**



Warning of forklifts
(ASR A1.3)

Motif number | **SW14**



Warning of explosive
atmosphere (ASR A1.3)

Motif number | **SW27**



Warning against electrical
voltage (ASR A1.3)

Motif number | **SW12**



Warning against laser
beams (ASR A1.3)

Motif number | **SW04**



Warning against toxic
substances (ASR A1.3)

Motif number | **SW16**



Warning of flammable
substances (ASR A1.3)

Motif number | **SW21**



Warning of hot
surface (ASR A1.3)

Motif number | **SW17**



Risk of falling warning
(ASR A1.3)

Motif number | **SW08**



Risk of slipping warning
(ASR A1.3)

Motif number | **SW11**



Warning against opposing
rollers (ASR A1.3)

Motif number | **SW13**



Warning of floating load
(ASR A1.3)

Motif number | **SW15**



Warning of magnetic field
(ASR A1.3)

Motif number | **SW06**



Warning about danger
through charging batteries
(ASR A1.3)

Motif number | **SW26**



Warning against radioactive
substances or ionising
radiation (ASR A1.3)

Motif number | **SW03**

Include the motif number with the item number for the appropriate material: **SW01.FAB99.100** (Example for „General warning signs“ - foil 100 mm)

Material	Width in mm	Item number
Foil	75 mm	----FAB99.075
	100 mm	----FAB99.100
	200 mm	----FAB99.200

Material	Width in mm	Item number
Plastic 1 mm	100 mm	----PE00.100
	200 mm	----PE00.200
	400 mm	----PE00.400

Material	Width in mm	Item number
Aluminium composite 2 mm	200 mm	----DA90.200
	400 mm	----DA90.400
	600 mm	----DA90.600

Registration 01

Registration 01

Lift truck 1



Your text here



COMPANY PREMISES

10

Sicherheitsschuhe im
Bereich des Lagers
Safety shoes
in the warehouse area



Warnweste im
Bereich des Lagers
Safety vest
in the warehouse area



Fußgängerüberweg
benutzen
Use the
Crosswalk



Rauchen nur auf gekenn-
zeichneten Flächen
Smoking only
in marked areas



Feuer und offenes
Licht verboten
Fire and
naked flames prohibited



Keine privaten Foto- und
Videodokumentationen
No private photo and
video documentaries



Your text &
your pictogram



BOX 11
59x34x43
sample text

Parking lot Forklift



Individual printing

For your very own application

We would be happy to advise you on your individual product at anfrage@1atapes.de or +49 36602 2891 00






60 | Inquiries, orders and individual specialist advice at  +49 36602 2891 00

Hall
A



08
Text



Your text here												
A												
B												
C												
D												
delayed in progress completed												



Large-format digital printing

- UV-resistant
- Weather-resistant
- Scratch-resistant and abrasion-resistant
- Robust and resistant
- Can be walked on and driven over
- For indoor or outdoor areas

Versatile materials

- Plastics
- Anti-slip films
- Aluminium composite
- Magnetic foils
- Vinyl
- Rigid foam

Suitable further processing

- Plotting
- Drilling
- Sawing
- Punching
- Milling
- Folding

Traffic signs

For internal labelling



Traffic signs

- | Traffic signs, no parking signs and information signs for internal identification
- | Suitable for easy mounting on the wall or floor
- | Reflective foils with classes RA1 and RA2

Floor mounting

Material: Hard-PVC 0.9 mm
Surface: slightly shiny
Assembly:
 self-adhesive
Area of application: indoor
 for smooth and clean floors

Material: PVC-Butyl 1.3 mm
Surface: embossed, matte
Assembly:
 strongly self-adhesive
Area of application: indoor and outdoor
 suitable for concrete paving and asphalt

Wall mounting

Material: Aluminium composite 3.0 mm
Version: Standard, RA1/A, RA2/C
Assembly:
 with self-adhesive or screw-in accessories
Area of application: indoor and outdoor

Your required motif is not shown?



You will find further traffic signs and individual solutions in our online shop at www.1atapes.de or on request.



Parking

Motif number | **VP01**

No stopping

Motif number | **VP03**

No parking

Motif number | **VP02**

Stop

Motif number | **VV03**

No entry

Motif number | **VV06**

Pedestrian (direction left)

Motif number | **VV09**

Pedestrian (direction right)

Motif number | **VV10**

No pedestrians permitted

Motif number | **VV11**

Hazardous point

Motif number | **VV12**

Give way

Motif number | **VV05**

Straight ahead only

Motif number | **VV15**

⚠ Specify direction



Maximum permissible speed

Motif number | **VG**

⚠ Specify speed



No entry for vehicles having a certain overall height

Motif number | **VX**

⚠ Specify height



No entry for vehicles having a certain overall weight

Motif number | **VZ**

⚠ Specify weight



No trucks

Motif number | **VV13**

Include the motif number with the item number for the appropriate material: **VP02.DBW60.420** (Example for "Fire extinguisher" - Aluminium composite RA2 420 x 420 mm)

Wall mounting

Material	Ø/Width in mm	Item number
Aluminium composite RA2 / 3 mm	420	DBW60.420
	600/630	DBW60.600
	900	DBW60.900
Aluminium composite RA1 / 3 mm	420	DBV60.420
	600/630	DBV60.600
	900	DBV60.900

Wall mounting

Material	Ø/Width in mm	Item number
Aluminium composite 3 mm	420	DB60.420
	600/630	DB60.600
	900	DB60.900

For the floor

Material	Ø/Width in mm	Item number
Hard-PVC 0.9 mm	400	PX01.400
	600	PX01.600
	900	PX01.900
PVC-Butyl 1.2 mm	400	PWB09.400
	600	PWB09.600
	900	PWB09.900

Reflective marking

Reflective markings RA1 und RA2



Truck and trailer contour marking | WT-5218

- | Certified according to ECE 104 Class C
- | Ideal marking for trucks, tankers, fixed bodies and tarpaulins
- | Excellent visibility over long distances
- | Self-adhesive and car wash proof

Material: polypropylene

Material thickness: 0.2 mm

Surface: reflective

Temperature range: from -40°C to +82°C (bonded to aluminium)

Application area: indoor and outdoor



Version		Colour	50 mm x 12.5 m	50 mm x 50 m
	Fixed structure Roll	yellow	5218.104.50-12	5218.104.50-50
		red	5218.101.50-12	5218.101.50-50
		white	5218.108.50-12	5218.108.50-50
	Tanker Roll with Sticker	yellow	5218.204.50-12	5218.204.50-50
		red	5218.201.50-12	5218.201.50-50
		white	5218.208.50-12	5218.208.50-50
	Tarpaulins Roll	yellow	5218.304.50-12	5218.304.50-50
		red	5218.301.50-12	5218.301.50-50
		white	5218.308.50-12	5218.308.50-50
	Tarpaulins Roll with Sticker	yellow	5218.404.50-12	5218.404.50-50
		red	5218.401.50-12	5218.401.50-50
		white	5218.408.50-12	5218.408.50-50



Vehicle warning marking / WT-5219

- ✓ Certified according to DIN 30710
- ✓ Ideal marking of vehicles with special rights
- ✓ Class RA2, structure C
- ✓ Self-adhesive, weather resistant and car wash proof

Material: polypropylene

Material thickness: 0.2 mm

Surface: reflective

Temperature range: from -40° C to +82°C (bonded to aluminium)

Application area: outdoor



	Colour	141 mm x 1 m	141 mm x 4.5 m	141 mm x 9 m	282 mm x 1 m	282 mm x 4.5 m	282 mm x 9 m
Passenger car warning markings • highly flexible, prismatic • Class RA2, structure C	red/white	5219.S18.141-mL 1 m pointing left	5219.S18.141-4 every 1 roll pointing left and pointing right	5219.S18.141-9 every 1 roll pointing left and pointing right	5219.S18.282-mL 1 m pointing left	5219.S18.282-4 every 1 roll pointing left and pointing right	5219.S18.282-9 every 1 roll pointing left and pointing right
		5219.S18.141-mR 1 m pointing right			5219.S18.282-mR 1 m pointing right		

Container warning marking / WT-5219

- ✓ Conforms to DIN 67520 and DIN 6171
- ✓ Reflective marking for containers, waste containers and swap bodies
- ✓ Class RA2, structure C
- ✓ Self-adhesive, weather resistant and car wash proof


Material: polypropylene

Material thickness: 0.4 mm

Surface: reflective

Temperature range: from -40° C to +82°C (bonded to aluminium)

Application area: outdoor



	Colour	141 mm x 705 mm	141 mm x 705 mm
Container warning marking • highly reflective • Class RA2, structure C	red/white	5219.Set.141 2 strips per set 1x pointing left 1x pointing right	5219.SRL.141 8 strips per set 4x pointing left 4x pointing right

Reflective warning marking tape / WT-5219

- ✓ According to DIN 4844
- ✓ For noticeable marking of danger points
- ✓ Class RA1, structure A or class RA2, structure B
- ✓ Universal adhesive for use on a wide variety of surfaces

Material: polypropylene

Material thickness: 0.4 mm

Surface: reflective

Temperature range: from -40° C to +82°C (bonded to aluminium)

Application area: indoor and outdoor



	Colour	Direction	50 mm x 5 m	50 mm x 25 m	100 mm x 5 m	100 mm x 25 m
Reflective - High Intensity Grade • for hazardous locations with high visibility requirements • Class RA2, structure B	yellow/black	pointing left	5219.R17.050-5L	5219.R17.050-25L	5219.R17.100-5L	5219.R17.100-25L
		pointing right	5219.R17.050-5R	5219.R17.050-25R	5219.R17.100-5R	5219.R17.100-25R
	red/white	pointing left	5219.R18.050-5L	5219.R18.050-25L	5219.R18.100-5L	5219.R18.100-25L
		pointing right	5219.R18.050-5R	5219.R18.050-25R	5219.R18.100-5R	5219.R18.100-25R
Reflective - Commercial Grade • for less dangerous areas • Class RA1, structure A	yellow/black	pointing left	5219.T17.050-5L	5219.T17.050-25L	5219.T17.100-5L	5219.T17.100-25L
		pointing right	5219.T17.050-5R	5219.T17.050-25R	5219.T17.100-5R	5219.T17.100-25R
	red/white	pointing left	5219.T18.050-5L	5219.T18.050-25L	5219.T18.100-5L	5219.T18.100-25L
		pointing right	5219.T18.050-5R	5219.T18.050-25R	5219.T18.100-5R	5219.T18.100-25R



E 09

01-24



SHELF & STORAGE LABELS

I BLOCK STORAGE, CEILING AND FLAG
I SIGNS
I SHELVING UNITS, WALL SIGNS

I CEILING HANGER
I LABELS
I ACCESSORIES

Labels for warehouse and shelf

The clear and high-quality marking of storage spaces for every requirement

26 02-02-02

26 02-02-02



Online catalog



Further information about shelf and warehouse marking can be found in our brochure. Just contact us and we will send you a copy.

Foil labels

High-quality labelling for every requirement

- For smooth, gap-free substrates
- Self-adhesive, resistant, easy to apply
- High tear resistance
- Abrasion resistant solvent print

Material: foil, other materials, protective laminates and formats on request

Material thickness: 0.2 mm

Surface: matt

Adhesive: acrylate

Application area: indoor



Single labels – Foil matt with protective laminate

Height	Width 90 mm	Width 120 mm	Width 180 mm
20 mm	LR99.FAM49.020-090	LR99.FAM49.020-120	LR99.FAM49.020-180
35 mm	LR99.FAM49.035-090	LR99.FAM49.035-120	LR99.FAM49.035-180
50 mm	LR99.FAM49.050-090	LR99.FAM49.050-120	LR99.FAM49.050-180
70 mm	LR99.FAM49.070-090	LR99.FAM49.070-120	LR99.FAM49.070-180
90 mm	LR99.FAM49.090-090	LR99.FAM49.090-120	LR99.FAM49.090-180

Multilevel labels – Foil matt with protective laminate

Count	50 mm x 70 mm (HxW)	80 mm x 80 mm (HxW)	100 x 100 mm (HxW)
3 levels	LR99.FAM49.150-070	LR99.FAM49.080-240	LR99.FAM49.100-300
4 levels	LR99.FAM49.200-070	LR99.FAM49.080-320	LR99.FAM49.100-400
5 levels	LR99.FAM49.250-070	LR99.FAM49.080-400	LR99.FAM49.100-500
6 levels	LR99.FAM49.300-070	LR99.FAM49.080-480	LR99.FAM49.100-600
7 levels	LR99.FAM49.350-070	LR99.FAM49.080-560	LR99.FAM49.100-700

The labels are created entirely according to your specifications



Plastic labels, reinforced

Extremely resistant and durable

- Extremely resistant
- Very suitable for recesses in the profile
- Self-adhesive
- Abrasion resistant print

Material: polycarbonate

Material thickness: 0.7 mm

Surface: matt

Adhesive: acrylate

Application area: indoor



Other sizes, levels or individual design,
e.g. logo and graphics on request! ☎ +49 36602 2891 00

Single labels – polycarbonate

Height	Width 90 mm	Width 120 mm	Width 180 mm
20 mm	LR99.CA01.020-090	LR99.CA01.020-120	LR99.CA01.020-180
35 mm	LR99.CA01.035-090	LR99.CA01.035-120	LR99.CA01.035-180
50 mm	LR99.CA01.050-090	LR99.CA01.050-120	LR99.CA01.050-180
70 mm	LR99.CA01.070-090	LR99.CA01.070-120	LR99.CA01.070-180
90 mm	LR99.CA01.090-090	LR99.CA01.090-120	LR99.CA01.090-180

Multilevel labels – polycarbonate

Count	50 mm x 70 mm (HxW)	80 mm x 80 mm (HxW)	100 x 100 mm (HxW)
Level 3	LR99.CA01.150-070	LR99.CA01.080-240	LR99.CA01.100-300
Level 4	LR99.CA01.200-070	LR99.CA01.080-320	LR99.CA01.100-400
Level 5	LR99.CA01.250-070	LR99.CA01.080-400	LR99.CA01.100-500
Level 6	LR99.CA01.300-070	LR99.CA01.080-480	LR99.CA01.100-600
Level 7	LR99.CA01.350-070	LR99.CA01.080-560	LR99.CA01.100-700

Magnetic labels

Flexible and variable storage location labeling



Magnetic labels

Flexible marking for changing storage areas

- | Attachment to magnetic surfaces
- | For variable shelf labelling
- | Various magnet options (e.g. for frozen food sections)
- | Quick and residue-free replacement
- | Flexible use

Material: magnetic foil

Material thickness: 0.85 mm

Surface: matt

Protective laminate: on request

Area of application: indoor



Single labels – Foil **matt with protective laminate**

Hight	Width 90 mm	Width 120 mm	Width 180 mm
20 mm	LR99.FAM49.020-090	LR99.FAM49.020-120	LR99.FAM49.020-180
35 mm	LR99.FAM49.035-090	LR99.FAM49.035-120	LR99.FAM49.035-180
50 mm	LR99.FAM49.050-090	LR99.FAM49.050-120	LR99.FAM49.050-180
70 mm	LR99.FAM49.070-090	LR99.FAM49.070-120	LR99.FAM49.070-180
90 mm	LR99.FAM49.090-090	LR99.FAM49.090-120	LR99.FAM49.090-180

Multilevel labels – Foil **matt with protective laminate**

Count	50 mm x 70 mm (HxW)	80 mm x 80 mm (HxW)	100 x 100 mm (HxW)
3 levels	LR99.FAM49.150-070	LR99.FAM49.080-240	LR99.FAM49.100-300
4 levels	LR99.FAM49.200-070	LR99.FAM49.080-320	LR99.FAM49.100-400
5 levels	LR99.FAM49.250-070	LR99.FAM49.080-400	LR99.FAM49.100-500
6 levels	LR99.FAM49.300-070	LR99.FAM49.080-480	LR99.FAM49.100-600
7 levels	LR99.FAM49.350-070	LR99.FAM49.080-560	LR99.FAM49.100-700




We produce individual magnetic labels according to your requirements. Tell us the desired size, colour and imprint.

Information and notes

- Various materials and sizes
- Adaptable colour coding system
- Can be customised with your logo
- All barcode systems possible
- Single labels or sheets




We produce your labels individually according to your requirements. With our software, it is possible to print variable content, e.g. plain text, barcodes, symbols, etc. A wide range of materials is available, which can be individually adapted to your specific requirements.



Multilevel labels

- Labelling of shelf storage locations across multiple levels
- Enables simplified management of high-bay racking
- Various mounting options (self-adhesive, magnetic)
- Barcodes are printed at an angle to increase the first-time read rate
- Mounting at eye level: no long-range scanner required

Standard sizes for multilevel labels



You send us the data and we take care of the rest.

For fast delivery we require the following information:

Material:

Foil, polycarbonate, magnet

Size:

Height x Width according to item number or individually on request

Text/content/colour:


according to your specifications

Barcode system:

e.g. Code 128, Code 39, QR-Code


E.g.: Excel spreadsheet for individual labels

	A	B	C	D
	Text 1	Barcode	Text 2	Arrow
1	ABC 123 01	ABC12301	Lager A	up
2	ABC 123 02	ABC12302	Lager A	right
3	ABC 123 03	ABC12303	Lager A	down
4	ABC 123 04	ABC12304	Lager A	left



E.g.: Excel spreadsheet for multilevel labels

	A	B	C	D	E	F	G	H	I
	Text 1	Barcode 1	Arrow 1	Text 2	Barcode 2	Arrow 2	Text 3	Barcode 3	Arrow 3
1	A 123 01	A12301	down	A 124 01	A 12401	up	A 125 01	A 12501	up
2	A 123 02	A12302	up	A 124 02	A 12402	up	A 125 02	A 12502	up
3	A 123 03	A12303	down	A 124 03	A 12403	up	A 125 03	A 12503	up
4	A 123 04	A12304	up	A 124 04	A 12404	up	A 125 04	A 12504	up



Pallet clip

*Clear and high-quality labeling
of storage locations for every requirement*

NEW

FLOOR MARKING TAPE

yellow

50 mm x 10 m

Artikelnummer:

PS-5271

Lagerplatz:

C05



UN 1543287 PADG42

FLOOR MARKING TAPE

yellow

50 mm x 10 m

Artikelnummer:

PS-5271

Lagerplatz:

C05



UN 1543287 PADG42

Pallet clip

For immediate improvement of material identification

- Quick installation on pallet blocks
- Suitable for Euro pallets
- Readable from different angles
- Easy installation without additional fasteners

Material: Hard PVC

Dimensions: 72 x 117 x 160 mm (H x W x D)

Packaging unit: 10x pallet clips with label pockets

Application area: Indoor use



Change your label yourself

PU 10 Clips

5000000604

including matching label pockets

150 mm x 67 mm



100 mm x 67 mm

How it works:



1. Print label



2. Insert label into label pocket



3. Insert label pocket into pallet clip



Anti-Stick Label Holder

Label quickly, efficiently and sustainably



Adhesive residue from old labels creates a disorganised impression and costs time and money. The special anti-stick film creates a surface to which typical paper labels adhere, but from which they can still be removed without leaving any residue. The

versatile anti-stick label holders bring new order, offer variable labelling for all types of shelves and help to create an efficient logistics process.

Anti-Stick – roll

For traverses and shelves

- Excellent for shelf traverses
- Remove paper labels **without leaving residues**
- Adheres to all smooth surfaces
- Simple and lasting application
- With standard warning text imprint

Material: polyester foil

Thickness: 0.15 mm

Surface: glossy (siliconised)

Adhesive: acrylate

Application area: indoor

Anti-Stick Label Holder – roll material

Width x length	Item no. / blank	Item no. / individual
35 mm x 10 m	2228.08.035-10	2228.99.035-10
100 mm x 10 m	2228.08.100-10	2228.99.100-10



Anti-Stick – labels

For boxes and containers

- Suitable as a base for reusable packaging, plastic crates, metal crates, on supports, on shelves, etc.
- Remove paper labels **without adhesive residue**

Material: polyester foil

Thickness: 0.15 mm

Surface: glossy (siliconised)

Adhesive: acrylate

Application area: indoor



Height x width	Item no. / blank	Item no. / individual
105 mm x 160 mm	LB08.FC1f9.105-160	LB99.FC1f9.105-160
125 mm x 200 mm	LB08.FC1f9.125-200	LB99.FC1f9.125-200



No more tedious scraping off old labels!



Anti-Stick – magnetic labels

For traverses and shelves – magnetic

- Excellent for shelf traverses
- Remove paper labels **without leaving residues**
- Adheres to all ferrous surfaces
- Simple and lasting application

Material: magnetic foil

Thickness: 0.9 mm


Surface: glossy (siliconised)

Application area: indoor

Height x width	Item no. / blank	Item no. / individual
100 mm x 145 mm	LB08.MR1f0.100-145	LB99.MR1f0.100-145
100 mm x 290 mm	LB08.MR1f0.100-290	LB99.MR1f0.100-290
100 mm x 870 mm	LB08.MR1f0.100-870	LB99.MR1f0.100-870



Example: 3 magnetic strips correspond to a traverse with 3 slots



Shelf row & aisle signs

Visible orientation in warehouses



Shelf row and aisle signs

For quick orientation in the warehouse

- | For labelling the basic order in the warehouse
- | Clearly visible on the front sides of shelves
- | Use in aisles, high racks and block storage
- | Customised production, e.g. colours, company logo or special formats
- | Scalable font size for optimum legibility

Material: rigid foam

Material thickness: 3 mm

Scope of delivery: NOT delivered pre-drilled

Maximum size: 1000 x 2000 mm

Area of application: indoor

Fully customizable!

Installation example with coil springs:



Height x width	Weight	Item number
400 x 400 mm	ca. 0.25 kg	LB99.SD00.400-400
600 x 600 mm	ca. 0.55 kg	LB99.SD00.600-600
800 x 800 mm	ca. 0.95 kg	LB99.SD00.800-800



Flag signs

For flexible marking of aisles and shelves

- Information signs for individual warehouse labelling
- Optimal for frequently changing labelling
- Full-surface protection of documents due to PVC insertion pocket
- High durability due to high-quality materials
- Further dimensions on request

Material: rigid foam


Material thickness: 3 mm

Scope of delivery: depending on item number with adhesive strip, magnetic strip or pre-drilled

Application area: indoor and outdoor

Fully custom-printable or with insertion pockets!

Select a suitable mounting variant:



Insertion pocket



Flag sign with insertion pocket

Visual size: 240 mm x 305 mm / bevelling: 50 mm
suitable for DIN A4 / 210 x 240 mm

Material	Equipment	Item number
rigid foam 3 mm	self-drilling	LB99.SDHT0.240-305.1
	self-adhesive	LB99.SDHT1.240-305.1
	magnetic	LB99.SDHT2.240-305.1



Flag sign with insertion pocket

Visual size: 325 mm x 220 mm / bevelling: 50 mm
suitable for DIN A4 / 297 x 210 mm

Material	Equipment	Item number
Rigid foam 3 mm	self-drilling	LB99.SDHT0.325-220.1
	self-adhesive	LB99.SDHT1.325-220.1
	magnetic	LB99.SDHT2.325-220.1

Directly printed



Flag sign custom-printable

Visual size: 240 mm x 305 mm / bevelling: 50 mm

Material	Equipment	Item number
Rigid foam 3 mm	self-drilling	LB99.SDH0.240-305.1
	self-adhesive	LB99.SDH1.240-305.1
	magnetic	LB99.SDH2.240-305.1



Flag sign custom-printable

Visual size: 325 mm x 220 mm / bevelling: 50 mm

Material	Equipment	Item number
Rigid foam 3 mm	self-drilling	LB99.SDH0.325-220.1
	self-adhesive	LB99.SDH1.325-220.1
	magnetic	LB99.SDH2.325-220.1

*Images similar/ labels are for viewing purposes only

Block storage & Ceiling signs

Freely hanging storage space marker



Block storage and ceiling signs

Hanging exchangeable or fixed labelling

- | For marking of block storage areas
- | Format and size according to customer requirements
- | Angular deflection allows better scanning of barcodes
- | Retroreflective for large distances on request
- | Font colour and background colour individually selectable

Material: rigid foam


Material thickness: 3 mm

Scope of delivery: supplied pre-drilled

Mounting: suitable accessories from page 30

Maximum size: 1200 x 1200 mm

Application area: indoor



Ideal for changing labels!

Insertion pocket



Ceiling/block storage sign with insertion pocket
Bevelling: 50 mm/for A4 landscape or A3 landscape

HxW in mm	Weight	Item number
240 x 300 (A4)	appx. 0.3 kg	LB99.SDBT.240-300.1
325 x 425 (A3)	appx. 0.4 kg	LB99.SDBT.325-425.1

Directly printed



Ceiling/block storage sign individually designable
Bevelling: 50 mm

HxW in mm	Weight	Item number
240 x 300	appx. 0.2 kg	LB99.SDB00.240-300.1
325 x 425	appx. 0.3 kg	LB99.SDB00.325-425.1
600 x 800	appx. 0.9 kg	LB99.SDB00.600-800.1



Ceiling/block storage sign individually designable

HxW in mm	Weight	Item number
240 x 300	appx. 0.2 kg	LB99.SDB00.240-300
325 x 425	appx. 0.3 kg	LB99.SDB00.325-425
600 x 800	appx. 0.9 kg	LB99.SDB00.600-800

**Images similar / Labels are for viewing purposes only*

Ceiling hanger

Visible marking of storage locations



Ceiling triangle and ceiling cube

For hanging replaceable or fixed signage

- Easily visible from a great distance
- Printing on all sides
- Customised production e.g. colours, company logo or special formats
- Scalable font size for optimum legibility

Material: rigid foam

Material thickness: 3 mm

Scope of delivery: supplied with drilled hole

Mounting: matching accessories page 76

Application area: indoor

Fully individual design!

Ceiling hanger for warehouse marking made of robust hard foam. Thanks to the lettering on all sides and its size, it is suitable for optimum visibility over long distances.



Note: The required chains, ceiling magnets and hooks can be found on page 82.



Ceiling cube (4-sided)

Sizes (HxW)	Weight	Item number
400 mm x 400 mm	ca. 1.5 kg	LB99.SDK00.400-400
600 mm x 600 mm	ca. 3.3 kg	LB99.SDK00.600-600



Ceiling triangle (3-sided)

Sizes (HxW)	Weight	Item number
400 mm x 400 mm	ca. 1.0 kg	LB99.SDD00.400-400
600 mm x 600 mm	ca. 2.2 kg	LB99.SDD00.600-600



Spray stencils

For markings that can be sprayed, rolled or brushed on



Spray stencils charging station 1

Logo dimension mm	Item number
650 x 730 (HxW)	LSS.PC00.0003
325 x 370 (HxW)	LSS.PC00.0004



Spray stencils parking space P

Logo dimension mm	Item number
890 x 600 (HxW)	LSS.PC00.0005
450 x 300 (HxW)	LSS.PC00.0006



Spray stencils wheelchair users

Logo dimension mm	Item number
900 x 750 (HxW)	LSS.PC00.0001
450 x 370 (HxW)	LSS.PC00.0002



Spray stencils pedestrian

Logo dimension mm	Item number
1000 x 600 (HxW)	LSS.PC00.0007
500 x 300 (HxW)	LSS.PC00.0008



Spray stencils charging station 2

Logo dimension mm	Item number
380 x 1100 (HxW)	LSS.PC00.0011
190 x 550 (HxW)	LSS.PC00.0012



Spray stencils bicycle

Logo dimension mm	Item number
620 x 1000 (HxW)	LSS.PC00.0009
310 x 500 (HxW)	LSS.PC00.0010



Spray stencils forklift

Logo dimension mm	Item number
750 x 850 (HxW)	LSS.PC00.0013
370 x 425 (HxW)	LSS.PC00.0014

All size information refers to the final dimension of the motif and not to the size of the stencil.

Spray stencils

- For labelling and marking warehouse and storage locations
- Can be used on countless surfaces with paint spray
- Reusable
- Sets of letters and numbers

Material: plastic

Material thickness: 0.2 mm

Font: DIN STENCIL FONT (other fonts on request)

Spray protection all around

	Character height 50 mm	Character height 100 mm	Character height 200 mm	PU
A - Z	LSS.PC00.050-AZ	LSS.PC00.100-AZ	LSS.PC00.200-AZ	26 pcs/PU
0 - 9	LSS.PC00.050-09	LSS.PC00.100-09	LSS.PC00.200-09	10 pcs/PU

A	LSS.PC00.050-A	LSS.PC00.100-A	LSS.PC00.200-A	1 pc/PU
B	LSS.PC00.050-B	LSS.PC00.100-B	LSS.PC00.200-B	1 pc/PU
C	LSS.PC00.050-C	LSS.PC00.100-C	LSS.PC00.200-C	1 pc/PU
D	LSS.PC00.050-D	LSS.PC00.100-D	LSS.PC00.200-D	1 pc/PU
E	LSS.PC00.050-E	LSS.PC00.100-E	LSS.PC00.200-E	1 pc/PU
F	LSS.PC00.050-F	LSS.PC00.100-F	LSS.PC00.200-F	1 pc/PU
G	LSS.PC00.050-G	LSS.PC00.100-G	LSS.PC00.200-G	1 pc/PU
H	LSS.PC00.050-H	LSS.PC00.100-H	LSS.PC00.200-H	1 pc/PU
I	LSS.PC00.050-I	LSS.PC00.100-I	LSS.PC00.200-I	1 pc/PU
J	LSS.PC00.050-J	LSS.PC00.100-J	LSS.PC00.200-J	1 pc/PU
K	LSS.PC00.050-K	LSS.PC00.100-K	LSS.PC00.200-K	1 pc/PU
L	LSS.PC00.050-L	LSS.PC00.100-L	LSS.PC00.200-L	1 pc/PU
M	LSS.PC00.050-M	LSS.PC00.100-M	LSS.PC00.200-M	1 pc/PU
N	LSS.PC00.050-N	LSS.PC00.100-N	LSS.PC00.200-N	1 pc/PU
O	LSS.PC00.050-O	LSS.PC00.100-O	LSS.PC00.200-O	1 pc/PU
P	LSS.PC00.050-P	LSS.PC00.100-P	LSS.PC00.200-P	1 pc/PU
Q	LSS.PC00.050-Q	LSS.PC00.100-Q	LSS.PC00.200-Q	1 pc/PU
R	LSS.PC00.050-R	LSS.PC00.100-R	LSS.PC00.200-R	1 pc/PU
S	LSS.PC00.050-S	LSS.PC00.100-S	LSS.PC00.200-S	1 pc/PU
T	LSS.PC00.050-T	LSS.PC00.100-T	LSS.PC00.200-T	1 pc/PU
U	LSS.PC00.050-U	LSS.PC00.100-U	LSS.PC00.200-U	1 pc/PU
V	LSS.PC00.050-V	LSS.PC00.100-V	LSS.PC00.200-V	1 pc/PU
W	LSS.PC00.050-W	LSS.PC00.100-W	LSS.PC00.200-W	1 pc/PU
X	LSS.PC00.050-X	LSS.PC00.100-X	LSS.PC00.200-X	1 pc/PU
Y	LSS.PC00.050-Y	LSS.PC00.100-Y	LSS.PC00.200-Y	1 pc/PU
Z	LSS.PC00.050-Z	LSS.PC00.100-Z	LSS.PC00.200-Z	1 pc/PU


0	LSS.PC00.050-0	LSS.PC00.100-0	LSS.PC00.200-0	1 pc/PU
1	LSS.PC00.050-1	LSS.PC00.100-1	LSS.PC00.200-1	1 pc/PU
2	LSS.PC00.050-2	LSS.PC00.100-2	LSS.PC00.200-2	1 pc/PU
3	LSS.PC00.050-3	LSS.PC00.100-3	LSS.PC00.200-3	1 pc/PU
4	LSS.PC00.050-4	LSS.PC00.100-4	LSS.PC00.200-4	1 pc/PU
5	LSS.PC00.050-5	LSS.PC00.100-5	LSS.PC00.200-5	1 pc/PU
6	LSS.PC00.050-6	LSS.PC00.100-6	LSS.PC00.200-6	1 pc/PU
7	LSS.PC00.050-7	LSS.PC00.100-7	LSS.PC00.200-7	1 pc/PU
8	LSS.PC00.050-8	LSS.PC00.100-8	LSS.PC00.200-8	1 pc/PU
9	LSS.PC00.050-9	LSS.PC00.100-9	LSS.PC00.200-9	1 pc/PU

Ä	LSS.PC00.050-S1	LSS.PC00.100-S1	LSS.PC00.200-S1	1 pc/PU
Ö	LSS.PC00.050-S2	LSS.PC00.100-S2	LSS.PC00.200-S2	1 pc/PU
Ü	LSS.PC00.050-S3	LSS.PC00.100-S3	LSS.PC00.200-S3	1 pc/PU
:	LSS.PC00.050-S4	LSS.PC00.100-S4	LSS.PC00.200-S4	1 pc/PU
-	LSS.PC00.050-S5	LSS.PC00.100-S5	LSS.PC00.200-S5	1 pc/PU
/	LSS.PC00.050-S6	LSS.PC00.100-S6	LSS.PC00.200-S6	1 pc/PU
&	LSS.PC00.050-S7	LSS.PC00.100-S7	LSS.PC00.200-S7	1 pc/PU



Are you looking for your personalised motif? Individual spray stencils

With your logo, series of numbers, lettering or pictogram.
Other materials are also available on request.



We would be happy to advise you! ☎ +49 36602 2891 00

Accessories and assembly

Useful aids for cleaning and installation

Cleaner

- For cleaning surfaces
- Degreases and dissolves soiling

Content: Isopropanol 70%
250 ml

Isopropanol	Item number
250 ml	9104.SW.1745



Primer no. 5

- Primer No.5 increases the adhesive strength of a tape on critical surfaces
- ALWAYS necessary outdoors!

Primer no. 5	Item number
250 ml	3051.25.250
1000 ml	3051.25.1000



Adhesive remover

- Removes adhesive residues quickly and thoroughly

Adhesive remover	Item number
500 ml (hand sprayer)	5004.54.006



Edge sealing

- For sealing of edges
- Prevents penetration of moisture

Content: 120 ml for approx. 10-15 m

Edge sealing	Item number
120 ml	6090.20.120-1A



Mounting adhesive

- Flex 310 M® Classic

Contents: 200 ml

Colour: grey




Mounting adhesive	Item number
200 ml	8133.05.200



Spring Toggle

- For attaching GRP profiles to lattice stairs

Thread: M8



Spring Toggle	Item number
2er-Set	8008.00.304

Magnetic hook

- Carrying capacity up to 10 kg
- Simple mounting of signs on metal beams or shelves

Magnet: Ø 20 mm NEODYM
Carrying capacity: 10 kg

Magnetic hook	Item number
2 pcs/PU	8008.00.143



Hooks for signs

- Hook with C-opening for hanging up signs
- Optional in combination with knotted chain

Material: steel
Wire thickness: Ø 2 mm
Length: 39 mm

Hooks for signs	Item number
4 pcs/PU	8008.00.121



Acrylic foam

- Double-sided adhesive tape for gluing signs
- For transparent and permanent bonding
- Suitable on glass, acrylic glass, stainless steel, etc.

Width x Length	Item number
12 mm x 11 m	4403.11.012
19 mm x 11 m	4403.11.019
25 mm x 11 m	4403.11.025



PE foam

- Double-sided adhesive tape for fastening and mounting
- For lightweight signs, mirrors, rails or screens
- Suitable on metal, plastic or glass

Black	
Width x length	Item number
12 mm x 10 m	4533.10.012
19 mm x 10 m	4533.10.019
25 mm x 10 m	4533.10.025

Weiß	
Breite x Länge	Artikelnummer
12 mm x 10 m	4514.10.012
19 mm x 10 m	4514.10.019
25 mm x 10 m	4514.10.025



Steel spiral springs

- For hanging up signs on shelf edges
- Can be extended up to approx. 1.5 m

Material: steel
Material thickness: 2 mm
Load capacity: up to approx. 3.5 kg



Steel spiral springs	Item number
4 pcs/PU	8008.00.120

Flat masking tape

- For fixing and covering
- Removable without residue

Material: Paper / impregnated 60 g/m²
Material thickness: 0.135 mm
Adhesive: Natural rubber

Width x length	Item number
19 mm x 50 m	5361.50.019
25 mm x 50 m	5361.50.025

Width x length	Item number
38 mm x 50 m	5361.50.038
50 mm x 50 m	5361.50.050




Scraper

- For removing floor markings

Length: 1.20 m
Replacement blades: Set of 10

Artikel	Item number
Scraper	8002.00.001
Replacement blades	8002.00.003



Knotted chain

- For fastening signs
- Optional in combination with sign hooks
- Reusable

Material: steel
Wire thickness: 1 mm
Length: 30 m

Knotted chain	Item number
1 roll	8008.00.122



Plastic squeegee

- For easily adhering of materials such as foil
- For bubble-free installation

Colour: white
Material: plastic
Dimensions: appx. 70 x 100 mm

Wiper	Item number
Plastic wiper	8000.01.022/1



Pressure roller

- For bubble-free laying of markings and signs
- For pressing on profiled substrates

Short version (1): rubber roller
Roller width: 55 mm
Long version (2): rubber roller
Roller width: 75 mm

Pressure roller	Item number
Short version (1)	8002.11.032
Long version (2)	8002.00.921





CLEANING STATION®

CLEANING STATION®

PLANNING & ORGANIZATION

- I CLEANING STATION
- I MAGNETIC AND WHITEBOARD SOLUTIONS
- I MAGNETIC AND ADHESIVE POCKETS

Cleaning Station

For faster processes and more order in the workplace

NEW



Robust & durable

Scratch-resistant surface and sturdy construction

HACCP compliant

Particularly suitable for hygiene concepts

Visible & within reach

Promotes order and cleanliness in the workplace

Customizable

With your logo on request and in your desired color

Cleaning Station

Clearly visible and always within reach

Optimize organization in the workplace with our high-quality shadow boards for cleaning tools—the smart solution for greater order, efficiency, and clarity in your business. Whether it's a broom, dustpan, or scraper, every tool has its place—clearly visible and always within reach.

- Ideal for professional and industrial use
- Robust construction and HACCP-compliant cleaning tools
- Sustainable and economical thanks to minimization of tool losses



Free-standing on casters



Magnetic wall mounting



Wall mounting with screws


Cleaning Station V1

Shadowboard for 5 Tools

Shadow: Dustpan, hand brush, broom, scraper, shovel, including hook for tools

Material: 3 mm scratch-resistant aluminium composite

Size: 1800 mm x 900 mm



Board

Colour		Free-standing on casters	Magnetic wall mounting	Wall mounting with screws
yellow		9301.04.0100	9301.04.0200	9301.04.0300
red		9301.01.0100	9301.01.0200	9301.01.0300
blue		9301.10.0100	9301.10.0200	9301.10.0300
green		9301.02.0100	9301.02.0200	9301.02.0300
white		9301.08.0100	9301.08.0200	9301.08.0300
black		9301.07.0100	9301.07.0200	9301.07.0300
individual*		9301.99.0100	9301.99.0200	9301.99.0300

*with logo / desired color

Tools

Colour		Item number
yellow		1001.04.0000
red		1001.01.0000
blue		1001.10.0000
green		1001.02.0000
white		1001.08.0000

Choose your tools in your favorite colour:




Cleaning Station V2

Shadowboard for 3 Tools

Shadow: Dustpan, hand brush, broom,
including hook for tools

Material: 3 mm scratch-resistant aluminium composite

Size: 1800 mm x 900 mm



*Individual

Board

Colour		Free-standing on casters	Magnetic wall mounting	Wall mounting with screws
yellow		9301.04.0100	9301.04.0200	9301.04.0300
red		9301.01.0100	9301.01.0200	9301.01.0300
blue		9301.10.0100	9301.10.0200	9301.10.0300
green		9301.02.0100	9301.02.0200	9301.02.0300
white		9301.08.0100	9301.08.0200	9301.08.0300
black		9301.07.0100	9301.07.0200	9301.07.0300
individual*		9301.99.0100	9301.99.0200	9301.99.0300

*with logo / desired color

Tools

Colour		Item number
yellow		1002.04.0000
red		1002.01.0000
blue		1002.10.0000
green		1002.02.0000
white		1002.08.0000
black		1002.07.0000

Choose your tools in your favorite colour:




Cleaning Station V3

Shadowboard for 4 Tools

Shadow: Dustpan, hand brush, broom, squeegee
including hook for tools

Material: 3 mm scratch-resistant aluminium composite

Size: 1800 mm x 900 mm



*Individual

Board

Colour		Free-standing on casters	Magnetic wall mounting	Wall mounting with screws
yellow		9303.04.0100	9303.04.0200	9303.04.0300
red		9303.01.0100	9303.01.0200	9303.01.0300
blue		9303.10.0100	9303.10.0200	9303.10.0300
green		9303.02.0100	9303.02.0200	9303.02.0300
white		9303.08.0100	9303.08.0200	9303.08.0300
black		9303.07.0100	9303.07.0200	9303.07.0300
individual*		9303.99.0100	9303.99.0200	9303.99.0300

*with logo / desired color

Tools

Colour		Item number
yellow		1003.04.0000
red		1003.01.0000
blue		1003.10.0000
green		1003.02.0000
white		1003.08.0000
black		1003.07.0000

Choose your tools in your favorite colour:



Cleaning Station V4

Shadowboard for 2 Tools

Shadow: Dustpan, hand brush, including hook for tools

Material: 3 mm scratch-resistant aluminium composite

Size: 1000 mm x 500 mm



*Individual

Board

Colour		Free-standing on casters	Magnetic wall mounting	Wall mounting with screws
yellow		9301.04.0100	9301.04.0200	9301.04.0300
red		9301.01.0100	9301.01.0200	9301.01.0300
blue		9301.10.0100	9301.10.0200	9301.10.0300
green		9301.02.0100	9301.02.0200	9301.02.0300
white		9301.08.0100	9301.08.0200	9301.08.0300
black		9301.07.0100	9301.07.0200	9301.07.0300
individual*		9301.99.0100	9301.99.0200	9301.99.0300

*with logo / desired color

Tools

Colour		Item number
yellow		1004.04.0000
red		1004.01.0000
blue		1004.10.0000
green		1004.02.0000
white		1004.08.0000
black		1004.07.0000

Choose your tools in your favorite colour:



Magnetic & Whiteboard solutions

Frameless, custom-made, and individually printed



To-Do-List

Magnetic whiteboard foil

From the old to the new whiteboard

- Individual dimensions, shapes and prints
- Quick and easy to place
- Writeable and used flexibly
- Optimal for damaged whiteboard surfaces
- Suitable for all magnetic materials

Material: magnetic foil 0.90 mm

Mounting: magnetic backside

Print: high-quality UV print

Surface: whiteboard foil

Dimension and shapes: customizable, max. 1000 mm x 2500 mm



Quick and easy to place on the old board and make dirt invisible.

Magnetic and
writable




We design your
whiteboard to suit the
desired application



Dimensions

To choose the right size for your whiteboard film, please measure the inner **dimensions** (HxW) of your whiteboard to determine the actual size for the whiteboard film. Please also state these dimensions when ordering.



Example

Customized size: **875 mm x 1175 mm** (HxW)
Item number: 9210.00.**875-1175**



Whiteboard unprinted

Item number	9210.00.xxxx - xxxx
-------------	---------------------

Whiteboard individually printed

Item number	9210.99.xxxx - xxxx
-------------	---------------------

Whiteboard accessories

Order the matching accessories



Ø 30 mm


Neodymium Magnets	Item number
10 pcs/PU	9210.99.0017



Accessories Set	Item number
45 pcs/PU	9210.99.0016



Thumbs	Item number
Set 10 pcs (5 each)	9210.99.0015



Set
75 x 75 mm

Sticky note Set	Item number
Set 20 pcs (5 each)	9210.99.0009



75 x 75 mm

Sticky note, green	Item number
10 pcs/PU	9210.99.0006



75 x 75 mm

Sticky note, yellow	Item number
10 pcs/PU	9210.99.0008



75 x 75 mm

Sticky note, red	Item number
10 pcs/PU	9210.99.0005



75 x 75 mm

Sticky note, blue	Item number
10 pcs/PU	9210.99.0007



Ø 50 mm

Smiley, green	Item number
10 pcs/PU	9210.99.0001



Ø 50 mm

Smiley, yellow	Item number
10 pcs/PU	9210.99.0002



Ø 50 mm

Smiley, red	Item number
10 pcs/PU	9210.99.0003



Ø 50 mm

Smiley Set	Item number
Set 15 pcs (5 each)	9210.99.0004

Magnetic and adhesive pockets

Quick and easy to attach



Magnetic info pockets

Present information in an eye-catching and clear way


- Quick and easy to attach
- Strongly adhesive magnets on the back
- Suitable for magnetic surfaces
- Residue-free removable and reusable
- Numerous colour variations

Material: PVC

Material thickness: 1.3 mm

Surface: slightly glossy

Application area: indoor



	A4 portrait	A4 landscape	A5 portrait	A5 landscape
	Inside: 297 x 210 mm Outside: 329 x 212 mm	Inside: 210 x 297 mm Outside: 242 x 299 mm	Inside: 210 x 148 mm Outside: 242 x 150 mm	Inside: 148 x 210 mm Outside: 180 x 212 mm
Colour	10 pcs/PU	10 pcs/PU	10 pcs/PU	10 pcs/PU
yellow	9218.04.0-A4	9218.04.1-A4	9218.04.0-A5	9218.04.1-A5
red	9218.01.0-A4	9218.01.1-A4	9218.01.0-A5	9218.01.1-A5
blue	9218.10.0-A4	9218.10.1-A4	9218.10.0-A5	9218.10.1-A5
green	9218.02.0-A4	9218.02.1-A4	9218.02.0-A5	9218.02.1-A5
orange	9218.12.0-A4	9218.12.1-A4	9218.12.0-A5	9218.12.1-A5
white	9218.08.0-A4	9218.08.1-A4	9218.08.0-A5	9218.08.1-A5
dark grey	9218.11.0-A4	9218.11.1-A4	9218.11.0-A5	9218.11.1-A5
black	9218.07.0-A4	9218.07.1-A4	9218.07.0-A5	9218.07.1-A5



Self-adhesive info pockets

Placing notices easily

- Residue-free removable and reusable
- Washable adhesive tape
- Applicable in portrait and landscape format
- Quick and easy to attach
- Suitable for walls, doors, windows etc.
- Ideal for notices, offers, opening hours and many more
- Numerous colour variations

Material: PVC


Material thickness: 0.5 mm

Surface: slightly glossy

Mounting: self-adhesive

Application area: indoor

Individually designable



	A4 portrait	A4 landscape
	Inside: 297 x 210 mm Outside: 329 x 212 mm	Inside: 210 x 297 mm Outside: 242 x 299 mm
Colour	2 pcs/PU	2 pcs/PU
yellow	4618.04.0-A4	4618.04.1-A4
red	4618.01.0-A4	4618.01.1-A4
blue	4618.10.0-A4	4618.10.1-A4
green	4618.02.0-A4	4618.02.1-A4
white	4618.08.0-A4	4618.08.1-A4
dark grey	4618.11.0-A4	4618.11.1-A4
black	4618.07.0-A4	4618.07.1-A4



For further information or a request, please contact us:

+49 36602 2891 00



Remove liner



Position pocket



Insert info



Ready





FABRIC ADHESIVE TAPES

IRECTANGLES & DOTS

IGLOSSY

IMATT

FABRIC ADHESIVE TAPES

For a multitude of universal application possibilities



Adhesive fabric tape / WT-5562

The matt fabric tape for a number of application possibilities

- | Ideal for binding, fastening, bundling, repairing or sealing
- | Wide variety of colours perfect for industrial labelling
- | Available in neon colours
- | Matt, wear and tear resistant, can be labelled
- | Can be removed from most surfaces without leaving residue

Material: PE-coated fabric

Material thickness: 0.3 mm

Surface: matt

Adhesive: natural rubber

Application area: indoor



Colour		25 mm x 50 m	38 mm x 50 m	50 mm x 50 m	75 mm x 50 m	100 mm x 50 m
yellow		5562.04.025	5562.04.038	5562.04.050	5562.04.075	5562.04.100
red		5562.01.025	5562.01.038	5562.01.050	5562.01.075	5562.01.100
green		5562.02.025	5562.02.038	5562.02.050	5562.02.075	5562.02.100
blue		5562.10.025	5562.10.038	5562.10.050	5562.10.075	5562.10.100
black		5562.07.025	5562.07.038	5562.07.050	5562.07.075	5562.07.100
white		5562.08.025	5562.08.038	5562.08.050	5562.08.075	5562.08.100
grey		5562.06.025	5562.06.038	5562.06.050	5562.06.075	5562.06.100

Colour		25 mm x 25 m	38 mm x 25 m	50 mm x 25 m	75 mm x 25 m	100 mm x 25 m
neon yellow		5562.31.025	5562.31.038	5562.31.050	5562.31.075	5562.31.100
neon green		5562.30.025	5562.30.038	5562.30.050	5562.30.075	5562.30.100
neon orange		5562.32.025	5562.32.038	5562.32.050	5562.32.075	5562.32.100
neon pink		5562.33.025	5562.33.038	5562.33.050	5562.33.075	5562.33.100



Adhesive fabric patches | WT-5561

- Quick and easy to attach
- Universal application possibilities
- Excellent immediate adhesion
- Easy, residue-free removal

Material: PE-coated fabric

Material thickness: 0.3 mm

Surface: glossy

Adhesive: natural rubber

Application area: indoor

Quantity: Dots: 4000 patches per roll

Rectangles: 5000 patches per roll



Dots

Colour		30 mm
yellow		5561.04.R030
red		5561.01.R030
blue		5561.10.R030
green		5561.02.R030
white		5561.08.R030
silver grey		5561.13.R030
black		5561.07.R030

Rectangles

Colour		30 mm x 15 mm
yellow		5561.04.030-15
red		5561.01.030-15
blue		5561.10.030-15
green		5561.02.030-15
white		5561.08.030-15
silver grey		5561.13.030-15
black		5561.07.030-15



Adhesive fabric tape | WT-5561

The glossy fabric tape for a number of application possibilities

- Ideal for binding, fastening, bundling, repairing or sealing
- Wide variety of colours perfect for industrial labelling
- Quick and noticeable labelling of danger points
- Glossy, wear and tear resistant, can be labelled
- Can be removed from most surfaces without leaving residue


Material: PE-coated fabric

Material thickness: 0.3 mm


Surface: glossy

Adhesive: natural rubber

Application area: indoor and outdoor



Colour		25 mm x 50 m	38 mm x 50 m	50 mm x 50 m	75 mm x 50 m	100 mm x 50 m
yellow/black pointing left		5561.17.025-Li	5561.17.038-Li	5561.17.050-Li	5561.17.075-Li	5561.17.100-Li
yellow/black pointing right		5561.17.025-Re	5561.17.038-Re	5561.17.050-Re	5561.17.075-Re	5561.17.100-Re
yellow		5561.04.025	5561.04.038	5561.04.050	5561.04.075	5561.04.100
black		5561.07.025	5561.07.038	5561.07.050	5561.07.075	5561.07.100
white		5561.08.025	5561.08.038	5561.08.050	5561.08.075	5561.08.100
red		5561.01.025	5561.01.038	5561.01.050	5561.01.075	5561.01.100
light green		5561.15.025	5561.15.038	5561.15.050	5561.15.075	5561.15.100
green		5561.02.025	5561.02.038	5561.02.050	5561.02.075	5561.02.100
light blue		5561.03.025	5561.03.038	5561.03.050	5561.03.075	5561.03.100
blue		5561.10.025	5561.10.038	5561.10.050	5561.10.075	5561.10.100
brown		5561.05.025	5561.05.038	5561.05.050	5561.05.075	5561.05.100
silver grey		5561.13.025	5561.13.038	5561.13.050	5561.13.075	5561.13.100



Point out left or right on a barrier or danger zone!





INDUSTRIAL ADHESIVE TAPES

IACRYLATE
IPE FOAM
IFOILS
IFLEECE
IREMOVABLE
IHIGH TEMPERATURE

Double-sided acrylic adhesive tape

Adhesive tape with acrylic core for a durable and strong bond

- High initial adhesion and extra strong adhesive strength
- High adaptability and high elasticity
- Extremely weather-resistant, resistant to UV, plasticisers and ageing
- Suitable for various surfaces such as glass, acrylic, plastic

Material: Pure acrylate foam

Adhesive: Acrylic adhesive

Temperature resistance: up to +80°C (briefly up to + 150°C)



	Colour	Thickness	Adhesive strength	12 mm x 33 m	19 mm x 33 m	25 mm x 33 m
WT-4402	highly transparent	0.5 mm ±10%	37 N/25 mm	4402.33.012	4402.33.019	4402.33.025
WT-4403	highly transparent	1.0 mm	37 N/25 mm	4403.33.012	4403.33.019	4403.33.025
WT-4414	white	1.2 mm	42 N/25 mm	4414.33.012	4414.33.019	4414.33.025
WT-4424	grey	1.2 mm	52 N/25 mm	4424.33.012	4424.33.019	4424.33.025
WT-4451	grey	0.64 mm	47 N/25 mm	4451.33.012	4451.33.019	4451.33.025

Other tapes, widths and material thicknesses on request

Double-sided PE foam tape

Foam adhesive tapes specially developed for different materials

- High instant adhesion and strong final adhesion
- Compensates for material-related expansion and tension differences
- Suitable for gap tolerances, seals, absorbs shocks and noise
- Resistant to weathering, UV, plasticisers and ageing
- Suitable for fixing decorative parts, mouldings, signs, mirrors, frames or panels

Material: PE foam

Adhesive: acrylic adhesive

Temperature resistance: from -30°C to +80°C (briefly up to + 120°C)



	Colour	Thickness	Adhesive strength	12 mm x 25 m	19 mm x 25 m	25 mm x 25 m
WT-4514	white	1.1 mm	22 N/25 mm	4514.25.012	4514.25.019	4514.25.025
WT-4516	white	1.6 mm	32 N/25 mm	4516.25.012	4516.25.019	4516.25.025
WT-4533	black	1.1 mm	22 N/25 mm	4533.25.012	4533.25.019	4533.25.025
WT-4535*	black	1.0 mm	22 N/25 mm	4535.25.012	4535.25.019	4535.25.025

* especially for low-energy surfaces

Other tapes, widths and material thicknesses on request

Double-sided film adhesive tape

Dimensionally stable adhesive tapes with thin film carrier

- Very good adhesion, high initial and permanent adhesive strength
- Tear-resistant and stable
- Good UV and ageing resistance
- For joining and mounting various flat and smooth materials such as metal, plastic, paper or glass

Material: film carrier

Adhesive: acrylic adhesive



	Carrier	Colour	Thickness	Adhesive strength	Temperature resistance	12 mm x 50 m	19 mm x 50 m	25 mm x 50 m
WT-4210	PET	transparent	0.205 mm	18 N/25 mm	up to +60°C	4210.50.012	4210.50.019	4210.50.025
WT-4211	PET	highly transparent	0.14 mm	6.8 N/25 mm	up to +120°C	4211.50.012	4211.50.019	4211.50.025
WT-4217	PET	transparent	0.15 mm	21 N/25 mm	-30°C to +120°C	4217.50.012	4217.50.019	4217.50.025
WT-4710	PVC	white	0.225 mm	16 N/25 mm	up to +90°C	4710.50.012	4710.50.019	4710.50.025

Other widths on request

Double-sided non-woven adhesive tape

Thin, flexible and supple

- Can be torn by hand
- Low overall thickness adapts to surfaces
- For bonding and finishing various materials such as paper, cardboard, film, foam, textiles or plastic

Material: non-woven

Material thickness: 0.1 mm

Colour: translucent

Adhesive: Polyacrylate pressure-sensitive adhesive

Adhesive strength: 20 N/25mm

Temperature resistance: from -30°C to +100°C




	12 mm x 50 m	19 mm x 50 m	25 mm x 50 m
WT-4112	4112.50.012	4112.50.019	4112.50.025

Other widths on request

Removable double-sided adhesive tape

Removable tape on both sides without leaving any residue

- Universal use on almost all surfaces
- Removable, very flexible and tear-resistant
- For quick fixing and bonding
- Suitable for bonding and laminating various materials such as carpets, displays, signs, etc.



	Carrier	Colour	Thickness	Adhesive	Adhesive strength	Temperature resistance	12 mm x 50 m	19 mm x 50 m	25 mm x 50 m
WT-4712	PVC	translucent	0.22 mm	Acrylic	7.4 N/25 mm	to +90°C	4712.50.012	4712.50.019	4712.50.025

	Carrier	Colour	Thickness	Adhesive	Adhesive strength	Temperature resistance	12 mm x 25 m	19 mm x 50 m	25 mm x 50 m
WT-4342	Fabric	white	0.31 mm	Rubber	10 N/25 mm	-30°C to +80°C	4342.25.012	4342.50.019	4342.50.025

Other widths on request

High temperature tape

For covering and fixing at high temperatures

- High-performance silicone adhesive, can be removed without leaving any residue
- Extremely heat and UV resistant
- Ideal for covering, masking or insulating



	Carrier	Adhesive	Adhesive strength	Colour	Thickness	Temperature resistance	12 mm x 66 m	19 mm x 66 m	25 mm x 66 m
WT-5230	Polyester film	Silicon	8 N/25 mm	green	0.09 mm	up to +220°C	5230.66.012	5230.66.019	5230.66.025

	Carrier	Adhesive	Adhesive strength	Colour	Thickness	Temperature resistance	12 mm x 33 m	19 mm x 33 m	25 mm x 33 m
WT-5231	Polyester film	Silicon	7 N/25 mm	blue	0.06 mm	up to +240°C	5231.33.012	5231.33.019	5231.33.025

	Carrier	Adhesive	Adhesive strength	Colour	Thickness	Temperature resistance	12 mm x 50 m	19 mm x 50 m	25 mm x 50 m
WT-6332	Glass fiber	Silicon	8.5 N/25 mm	white	0.12 mm	up to +260°C	6332.50.012	6332.50.019	6332.50.025

Other widths on request

Contact us:

1A Tapes GmbH

Mittelstraße 9
07554 Korbußen
Germany

Tel +49 36602 2891 00
Fax +49 36602 2891 99
E-Mail info@1atapes.de

Opening hours

Monday - Friday from 8 am - 3 pm



DQS certified according to
ISO 9001 : 2015
Reg.Nr. 310651 QM15

PDF Download

*Scan the QR code and
download all catalogs for free*

